

MXD-D5C

SERVICE MANUAL

Self Diagnosis
Supported model

US Model
Canadian Model
AEP Model
UK Model



Photo: AEP, UK models

U.S. and foreign patents licensed from Dolby Laboratories Licensing Corporation.

CD Section	Model Name Using Similar Mechanism	NEW
	CD Mechanism Type	CDM53G-21BD53
	Base Unit Name	BU-21BD53
	Optical Pick-up Name	OP Assy (A-MAX.2)
MD Section	Model Name Using Similar Mechanism	NEW
	MD Mechanism Type	MDM-7X2A
	Optical Pick-up Name	KMS-262A/J1N

SPECIFICATIONS

CD player section

System	Compact Disc digital audio system
Laser	Semiconductor laser ($\lambda = 780$ nm)
	Emission duration: continuous
Laser output	Less than 44.6 μW *
	* This output is the value measured at a distance of 200 mm from the objective lens surface on the Optical Pick-up Block with 7 mm aperture.
Frequency response	5 to 20,000 Hz ± 0.5 dB
Signal-to-noise ratio	More than 96 dB
Wow and flutter	Below measurable limit

MD deck section

System	MiniDisc digital audio system
Disc	MiniDisc
Laser	Semiconductor laser ($\lambda = 780$ nm)
	Emission duration: continuous
Laser output	Less than 44.6 μW *
	* This output is the value measured at a distance of 200 mm from the objective lens surface on the Optical Pick-up Block with 7 mm aperture.

Laser diode properties

Revolutions (CLV)	Material: GaAlAs
Error correction	800 rpm to 1,800 rpm
	Advanced Cross Interleave Reed Solomon Code (ACIRC)
Sampling frequency	44.1 kHz
Coding	Adaptive Transform Acoustic Coding (ATRAC)/ATRAC3
Modulation system	EFM (Eight-to-Fourteen Modulation)
Number of channels	2 stereo channels

Frequency response

5 to 20,000 Hz ± 0.5 dB

Signal-to-noise ratio

Over 96 dB during playback

Wow and flutter

Below measurable limit

Inputs

	Jack type	Input impedance	Rated input	Minimum input
ANALOG IN	Phono jacks	47 kilohms	500 mVrms	125 mVrms
DIGITAL OPTICAL IN	Square optical connector jack	Optical wave length: 660 nm	—	—

Outputs

	Jack type	Rated output	Load impedance
PHONES	Stereo phone jack	10 mW	32 ohms
ANALOG OUT	Phono jacks	2 Vrms (at 50 kilohms)	Over 10 kilohms

– Continued on next page –

COMPACT DISC MINIDISC DECK

SONY
®

General

Power requirements

Where purchased	Power requirements
U.S.A. and Canada	120 V AC, 60 Hz
Europe	220 - 230 V AC, 50/60 Hz
Power consumption	25 W (less than 1 W at standby)
Dimensions (approx.) (w/h/d) incl. projecting parts and controls	430 × 120 × 395 mm
Mass (approx.)	6.5 kg

Supplied accessories

- Audio connecting cords (2)
- Remote commander (remote) (1)
- Sony R6 (size-AA) batteries (2)

Design and specifications are subject to change without notice.

SELF-DIAGNOSIS FUNCTION

The self-diagnosis function consists of error codes for customers which are displayed automatically when errors occur, and error codes which show the error history in the test mode during servicing. For details on how to view error codes for the customer, refer to the following box in the instruction manual. For details on how to check error codes during servicing, refer to the following "Procedure for using the Self-Diagnosis Function (Error History Display Mode)".

Self-Diagnosis Function

The deck has a self-diagnosis display. This function shows a three- or five-digit display (a combination of a letter and figures) and the corresponding message, so you can check the deck's condition.

If such a display appears, check the following table in order to resolve the problem.

Should any problem persist, consult your nearest Sony dealer.

Three-digit display/Message	Cause/Remedy
C11 / Protected	The inserted MD is record-protected. → Take out the MD, and close the record-protect tab.
C12 / CannotCopy	An attempt was made to play a disc that is not compatible with this deck (CD-ROM, MD data disc, etc.). → Replace the disc.
C13 / Rec Error	The recording was not made properly. → Set the deck in a stable place, and repeat the recording procedure. The inserted MD is dirty (with smudges, fingerprints, etc.), scratched, or not up to standards. → Replace the disc, and repeat the recording procedure.
C13 / Read Error	The deck could not read the TOC of the MD properly. → Eject the disc, then insert it again.
C14 / Toc Error	The deck could not read the TOC of the MD properly. → Insert another disc. → If possible, erase all tracks on the MD using the AllErase Function.
C41 / Cannot Copy	The digitally dubbed material cannot be recorded digitally.
C71 / Din Unlock	A moment's lighting is due to the signals of the digital program being recorded. This does not affect the recorded material. While recording from a digital component connected through the DIGITAL OPTICAL IN connector, the digital connecting cable was unplugged or the digital component turned off. → Connect the cable or turn the digital component back on.
E0001 / MEMORY NG	There is an error in the internal data that the deck needs in order to operate. → Consult your nearest Sony dealer.
E0101 / LASER NG	There is a problem with the optical pick-up. → The optical pick-up may have failed. Consult your nearest Sony dealer.

PROCEDURE FOR USING THE SELF-DIAGNOSIS FUNCTION (ERROR HISTORY DISPLAY MODE)

Note: Perform the self-diagnosis function in the "error history display mode" in the test mode. The following describes the least required procedure. Be careful not to enter other modes by mistake. If you set other modes accidentally, press the [MENU/NO] button to exit the mode.

1. Press the [CD], [MD] and [YES] buttons at the same time.
2. Press the [AMS] (MD) knob and [MD] button to display "<0> To Normal".
3. Turn the [AMS] (MD) knob and when "<5> MD Test" is displayed, press the [AMS] (MD) knob.
4. Turn the [AMS] (MD) knob and when "[Service]" is displayed, press the [YES] button.
5. Turn the [AMS] (MD) knob to display "Err Display".
6. Press the [YES] button to sets the error history mode and displays "op rec tm".
7. Select the contents to be displayed or executed using the [AMS] (MD) knob.
8. Press the [AMS] (MD) knob to display or execute the contents selected.
9. Press the [AMS] (MD) knob another time returns to step 6.
10. Press the [MENU/NO] button to display "Err Display" and release the error history mode.
11. To release the test mode, press the [I/O] button to display "<5> MD Test".
12. To turn the power OFF, turn the [AMS] (MD) knob and when "<8> Initial" displayed, press the [AMS] (MD) knob.

ITEMS OF ERROR HISTORY MODE ITEMS AND CONTENTS

Selecting the Test Mode

Display	Details of History
op rec tm	Cumulative recording time is displayed. When cumulative recording time is over 1 minute, the hour and minute are displayed as they are. When it is under 1 minute, “Under 1 min” is displayed. The displayed time shows how long the laser is in high power state. It is about one fourth the actual recording time.
op play tm	Cumulative playing time is displayed. When cumulative playing time is over 1 minute, the hour and minute are displayed as they are. When it is under 1 minute, “Under 1 min” is displayed.
spdl rp tm	Cumulative spindle motor running time is displayed. When cumulative spindle motor run time is over 1 minute, the hour and minute are displayed as they are. When it is under 1 minute, “Under 1 min” is displayed.
retry err	Displays the total number of retries during recording and number of retry errors during play. Displayed as “r□□ p□□”. “r” indicates the retries during recording while “p” indicates the retry errors during play. The number of retries and retry errors are displayed in hexadecimal digits from 00 to FF.
total err	Displays the total number of errors. Displayed as “total □□”. The number of errors is displayed in hexadecimal digits from 00 to FF.
err history	Displays the 10 latest errors. Displayed as “0□ ErrCd@@@”. □ indicates the history number. The smaller the number, the more recent is the error. (00 is the latest). @@ indicates the error code. Refer to the following table for the details. The error history can be switched by turning the [◀◀ AMS ▶▶] (MD) knob.
retry adrs	Display the past five retry addresses. Displays “□□ ADRS □□□□”, □□ is the history number. □□□□ is the cluster with the retry error. Select the error history number using the [◀◀ AMS ▶▶] knob.
er refresh	Mode to clear the error history and retry address history. [Operating method] 1) Press [◀◀ AMS ▶▶] (MD) knob when “er refresh” is displayed. 2) The display will change to “er refresh?”, and then press [YES] button. The operation is over if “Complete!” is displayed. After this mode was executed, check the following: <ul style="list-style-type: none">• The data have been cleared.• Perform the recording and playing to check that the mechanism operates normally.
op change	Mode to clear cumulative time of “op rec tm” and “op play tm”. These historical data are used to determine the timing when the optical pick-up is to be replaced. When the optical pick-up was replaced, perform this operation to clear historical data. [Operating method] 1) Press [◀◀ AMS ▶▶] (MD) knob when “op change” is displayed. 2) The display will change to “op change?”, and then press [YES] button. The operation is over if “Complete!” is displayed.
spdl change	Mode to clear cumulative time of “spdl rp tm”. This historical data is used to determine the timing when the spindle motor is to be replaced. When the spindle motor was replaced, perform this operation to clear historical data. [Operating method] 1) Press [◀◀ AMS ▶▶] (MD) knob when “spdl change” is displayed. 2) The display will change to “spdl change?”, and then press [YES] button. The operation is over if “Complete!” is displayed.

Table of Error Codes

Error Code	Details of Error
10	Loading failed
12	Loading switch combination is illegal
20	Head of PTOC could not be read within the specified time
21	Head of PTOC could be read but its content is erroneous
22	Access to UTOC could not be made within the specified time
23	UTOC could be not read within the specified 3time
24	Content of UTOC is erroneous
30	Playing could not start
31	Content of sector is erroneous
40	Cause of retry occurred during normal recording
41	D-RAM overflowed and retry was executed
42	Retry was executed during the writing to TOC
43	S.F editing was interrupted by retry
50	Address could not be read except in access processing
51	Focusing failed and it is out of control
60	Unlock retry

TABLE OF CONTENTS

SELF-DIAGNOSIS FUNCTION	2
1. SERVICING NOTES	6
2. GENERAL	16
3. DISASSEMBLY	17
4. ASSEMBLY	26
5. TEST MODE	29
6. ELECTRICAL ADJUSTMENTS	
MD Section	35
CD Section	46
7. DIAGRAMS	
7-1. Block Diagram – MD SERVO Section –	48
7-2. Block Diagram – MAIN Section –	49
7-3. Block Diagram – DISPLAY/POWER SUPPLY Section –	50
7-4. Note for Printed Wiring Boards and Schematic Diagrams	51
7-5. Printed Wiring Board – BD (CD) Board –	52
7-6. Schematic Diagram – BD (CD) Board –	53
7-7. Schematic Diagram – BD (MD) Board (1/2) –	54
7-8. Schematic Diagram – BD (MD) Board (2/2) –	55
7-9. Printed Wiring Board – BD (MD) Board –	56
7-10. Printed Wiring Board – MAIN Board (Component Side) –	58
7-11. Printed Wiring Board – MAIN Board (Conductor Side) –	59
7-12. Schematic Diagram – MAIN Board (1/4) –	60
7-13. Schematic Diagram – MAIN Board (2/4) –	61
7-14. Schematic Diagram – MAIN Board (3/4) –	62
7-15. Schematic Diagram – MAIN Board (4/4) –	63
7-16. Printed Wiring Board – AUDIO Board (Component Side) –	64
7-17. Printed Wiring Board – AUDIO Board (Conductor Side) –	65
7-18. Schematic Diagram – AUDIO Board –	66
7-19. Printed Wiring Boards – CDM Section –	68
7-20. Schematic Diagram – CDM Section –	69
7-21. Printed Wiring Boards – PANEL Section –	70
7-22. Schematic Diagram – PANEL Section –	71
7-23. Printed Wiring Board – LED Board –	72
7-24. Schematic Diagram – LED Board –	73
7-25. IC Pin Function Description	77
8. EXPLODED VIEWS	89
9. ELECTRICAL PARTS LIST	96

SAFETY-RELATED COMPONENT WARNING!!

COMPONENTS IDENTIFIED BY MARK \triangle OR DOTTED LINE WITH MARK \triangle ON THE SCHEMATIC DIAGRAMS AND IN THE PARTS LIST ARE CRITICAL TO SAFE OPERATION. REPLACE THESE COMPONENTS WITH SONY PARTS WHOSE PART NUMBERS APPEAR AS SHOWN IN THIS MANUAL OR IN SUPPLEMENTS PUBLISHED BY SONY.

ATTENTION AU COMPOSANT AYANT RAPPORT À LA SÉCURITÉ!

LES COMPOSANTS IDENTIFIÉS PAR UNE MARQUE \triangle SUR LES DIAGRAMMES SCHÉMATIQUES ET LA LISTE DES PIÈCES SONT CRITIQUES POUR LA SÉCURITÉ DE FONCTIONNEMENT. NE REMPLACER CES COMPOSANTS QUE PAR DES PIÈCES SONY DONT LES NUMÉROS SONT DONNÉS DANS CE MANUEL OU DANS LES SUPPLÉMENTS PUBLIÉS PAR SONY.

SAFETY CHECK-OUT

After correcting the original service problem, perform the following safety check before releasing the set to the customer:

Check the antenna terminals, metal trim, "metallized" knobs, screws, and all other exposed metal parts for AC leakage.

Check leakage as described below.

LEAKAGE TEST

The AC leakage from any exposed metal part to earth ground and from all exposed metal parts to any exposed metal part having a return to chassis, must not exceed 0.5 mA (500 microamperes.). Leakage current can be measured by any one of three methods.

1. A commercial leakage tester, such as the Simpson 229 or RCA WT-540A. Follow the manufacturers' instructions to use these instruments.
2. A battery-operated AC milliammeter. The Data Precision 245 digital multimeter is suitable for this job.
3. Measuring the voltage drop across a resistor by means of a VOM or battery-operated AC voltmeter. The "limit" indication is 0.75 V, so analog meters must have an accurate low-voltage scale. The Simpson 250 and Sanwa SH-63Trd are examples of a passive VOM that is suitable. Nearly all battery operated digital multimeters that have a 2 V AC range are suitable. (See Fig. A)





Fig. A. Using an AC voltmeter to check AC leakage.

The laser component in this product is capable of emitting radiation exceeding the limit for Class 1.

CLASS 1 LASER PRODUCT
LUOKAN 1 LASERLAITE
KLASS 1 LASERAPPARAT

This appliance is classified as a CLASS 1 LASER product. The CLASS 1 LASER PRODUCT MARKING is located on the rear exterior.

The following caution label is located inside of the unit.



CAUTION

Danger of explosion if battery is incorrectly replaced.

Replace only with the same or equivalent type recommended by the manufacturer.

Discard used batteries according to the manufacturer's instructions.

ADVARSEL!

Lithiumbatteri-Eksplorationsfare ved fejlagtig håndtering.

Udsættelse må kun ske med batteri

af samme fabrikat og type.

Levér det brugte batteri tilbage til leverandøren.

ADVARSEL

Eksplorationsfare ved feilaktig skifte av batteri.

Benytt samme batteritype eller en tilsvarende type
anbefalt av apparatfabrikanten.

Brukte batterier kasseres i henhold til fabrikantens
instruksjoner.

VARNING

Explosionsfara vid felaktigt batteribyte.

Använd samma batterityp eller en likvärdig typ som
rekommenderas av apparattillverkaren.

Kassera använt batteri enligt gällande föreskrifter.

VAROITUS

Paristo voi räjähtää, jos se on virheellisesti asennettu.

Vaihda paristo ainoastaan laitevalmistajan suosittelemaan tyyppiin.
Hävitä käytetty paristo valmistajan ohjeiden mukaisesti.

CAUTION

Use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.

Notes on chip component replacement

- Never reuse a disconnected chip component.
- Notice that the minus side of a tantalum capacitor may be damaged by heat.

Flexible Circuit Board Repairing

- Keep the temperature of the soldering iron around 270 °C during repairing.
- Do not touch the soldering iron on the same conductor of the circuit board (within 3 times).
- Be careful not to apply force on the conductor when soldering or unsoldering.

SECTION 1

SERVICING NOTES

NOTES ON HANDLING THE OPTICAL PICK-UP BLOCK OR BASE UNIT

The laser diode in the optical pick-up block may suffer electrostatic break-down because of the potential difference generated by the charged electrostatic load, etc. on clothing and the human body.

During repair, pay attention to electrostatic break-down and also use the procedure in the printed matter which is included in the repair parts.

The flexible board is easily damaged and should be handled with care.

For CD

NOTES ON LASER DIODE EMISSION CHECK

The laser beam on this model is concentrated so as to be focused on the disc reflective surface by the objective lens in the optical pick-up block. Therefore, when checking the laser diode emission, observe from more than 30 cm away from the objective lens.

LASER DIODE AND FOCUS SEARCH OPERATION CHECK

Carry out the "S curve check" in "CD section adjustment" and check that the S curve waveforms is output three times.


For MD

NOTES ON LASER DIODE EMISSION CHECK

Never look into the laser diode emission from right above when checking it for adjustment. It is feared that you will lose your sight.

MODEL IDENTIFICATION

— BACK PANEL —




Model	Part No.
US model	4-228-754-1□
Canadian model	4-228-754-2□
AEP, UK models	4-228-754-3□

CLEANING OBJECTIVE LENS OF OPTICAL PICK-UP

- In cleaning the objective lens of optical pick-up, be sure the following below.

- In cleaning the lens, do not apply an excessive force. As the optical pick-up is vulnerable, application of excessive force could damage the lens holder.
- In cleaning, do not use a cleaner other than exclusive cleaning liquid (KK-91 or isopropyl alcohol).
- Wipe the objective lens spirally from center toward outside. (See Figure A)



(Figure A)


- Eject the disk, if loaded.
- Disconnect the power cord from the socket to shut off the power supply.
- When cleaning the objective lens of optical pick-up in CD, refer to "FITTING BASE (GUIDE) ASS'Y, BRACKET (CHASSIS) AND MAGNET ASS'Y" on page 24 for removing MAGNET ASS'Y.

MD SECTION

JIG FOR CHECKING BD (MD) BOARD WAVEFORM

The special jig (J-2501-196-A) is useful for checking the waveform of the BD (MD) board. The names of terminals and the checking items to be performed are shown as follows.

- GND : Ground
I+3V : For measuring IOP (Check the deterioration of the optical pick-up laser)
IOP : For measuring IOP (Check the deterioration of the optical pick-up laser)
TE : Tracking error signal (Traverse adjustment)
VC : Reference level for checking the signal
RF : RF signal (Check jitter)
FE : Focus error signal



IOP DATA RECORDING AND DISPLAY WHEN OPTICAL PICK-UP AND NON-VOLATILE MEMORY (IC195 OF BD (MD) BOARD) ARE REPLACED

The IOP value labeled on the optical pick-up can be recorded in the non-volatile memory. By recording the value, it will eliminate the need to look at the value on the optical pick-up label. When replacing the optical pick-up or non-volatile memory (IC195 of BD (MD) board), record the IOP value on the optical pick-up according to the following procedure.

Record Procedure:

1. Press the [CD], [MD] and [YES] buttons at the same time.
2. Press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob and [MD] button to display “<0> To Normal”.
3. Turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob and when “<5> MD Test” is displayed, press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob.
4. Turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob to display “[Service]”, and press the [YES] button.
5. Turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob to display “Iop Write” (C05), and press the [YES] button.
6. The display becomes “Ref-@ @ @ .@” (@ is an arbitrary number) and the numbers which can be changed will blink.
7. Input the IOP value written on the optical pick-up label.
To select the number : Turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob.
To select the digit : Press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob.
8. When the [YES] button is pressed, the display becomes “Measu=@ @ @ .@” (@ is an arbitrary number).
9. As the adjustment results are recorded for the 6 value. Leave it as it is and press the [YES] button.
10. “Complete!” will be displayed momentarily. The value will be recorded in the non-volatile memory and the display will become “Iop Write (C05)”.
11. Press the [$\text{I} \cup \text{O}$] button to display “<5> MD Test”.
12. To turn the power OFF, turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob and “<8> Initial” displayed, press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob.

Display Procedure:

1. Press the [CD], [MD] and [YES] buttons at the same time.
2. Press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob and [MD] button to display “<0> To Normal”.
3. Turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob and when “<5> MD Test” is displayed, press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob.
4. Turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob to display “[Service]”, and press the [YES] button.
5. Turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob to display “Iop Read” (C26).
6. “@ @ .@ /##.#” is displayed and the recorded contents are displayed.
@ @ .@ : indicates the IOP value on the optical pick-up label.
##.# : indicates the IOP value after adjustment
7. To end, press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob or [MENU/NO] button to display “Iop Read” (C26).
8. Press the [$\text{I} \cup \text{O}$] button to display “<5> MD Test”.
9. To turn the power OFF, turn the [$\ll\ll$ AMS $\gg\gg$] (MD) knob and “<8> Initial” displayed, press the [$\ll\ll$ AMS $\gg\gg$] (MD) knob.

CHECKS PRIOR TO PARTS REPLACEMENT AND ADJUSTMENTS IN MD

Before performing repairs, perform the following checks to determine the faulty locations up to a certain extent.
Details of the procedures are described in "6 Electrical Adjustments".

	Criteria for Determination (Unsatisfactory if specified value is not satisfied)	Measure if unsatisfactory:
Laser power check (6-2 : See page 38)	<ul style="list-style-type: none"> • 0.9 mW power Specified value : 0.80 to 0.96 mW • 8.4 mW power Specified value : 8.2 to 8.6 mW 	<ul style="list-style-type: none"> • Clean the optical pick-up • Adjust again • Replace the optical pick-up
	<ul style="list-style-type: none"> • Iop (at 8.4mW) Labeled on the optical pick-up Iop value ± 10mA 	<ul style="list-style-type: none"> • Replace the optical pick-up
Traverse check (6-6 : See page 39)	<ul style="list-style-type: none"> • Traverse waveform Specified value : Below 10% offset 	<ul style="list-style-type: none"> • Replace the optical pick-up
Focus bias check (6-7 : See page 40)	<ul style="list-style-type: none"> • Error rate check Specified value : For points a and b C1 error : About 200 AD error : below 2 For point C C1 error: 50 AD error: below 2 	<ul style="list-style-type: none"> • Replace the optical pick-up
C PLAY check (6-8 : See page 40)	<ul style="list-style-type: none"> • Error rate check Specified value: <ul style="list-style-type: none"> a. When using test disc (MDW-74/GA-1) C1 error : Below 80 AD error : Below 2 b. When using check disc (TDYS-1) C1 error : Below 50 	<ul style="list-style-type: none"> • Replace the optical pick-up
Self-recording/playback check (6-9 : See page 40)	<ul style="list-style-type: none"> • CPLAY error rate check Specified value: C1 error : Below 80 AD error : Below 2 	If always unsatisfactory: <ul style="list-style-type: none"> • Replace the overwrite head • Check for disconnection of the circuits around the overwrite head
		If occasionally unsatisfactory: <ul style="list-style-type: none"> • Check if the overwrite head is distorted • Check the mechanism around the sled
Temperature compensation offset check (6-1 : See page 38)	<ul style="list-style-type: none"> • Unsatisfactory if displayed as T=@@ (#) [NG]" NG (@ @, # are both arbitrary numbers) 	<ul style="list-style-type: none"> • Check for disconnection of the circuits around D101 (BD (MD) board) • Check the signals around IC101, IC151, CN102, CN103 (BD (MD) board)

Note:

The criteria for determination above is intended merely to determine if satisfactory or not, and does not serve as the specified value for adjustments.
When performing adjustments, use the specified values for adjustments.

SERVICE MODE

This set provides various modes for the service.

Enter the service mode through the procedure given below, and select the desired mode.

Procedure:

1. Press the [CD] (CD), [MD] (MD) and [YES] buttons at the same time.
2. Press the [$\triangleleft\triangleleft$ AMS $\triangleright\triangleright$] (MD) knob and [MD] button to display “<0> To Normal”.
3. At this time, turn the [$\triangleleft\triangleleft$ AMS $\triangleright\triangleright$] (MD) knob can select all modes. For the contents of mode, see the following table.
4. To exit from the service mode, turn [$\triangleleft\triangleleft$ AMS $\triangleright\triangleright$] (MD) to display “<0> To Normal”, then press the [$\triangleleft\triangleleft$ AMS $\triangleright\triangleright$] (MD) knob.

Contents of test mode

No.	Display	Function
0	<0> To Normal	Exit from test mode
1	<1> Version	Microcomputer Version display
2	<2> FLD	FL display test/LED display test
3	<3> Key, Jog	Key/Jog input test
4	<4> CD Test	CD all sorts test
5	0> COMMAND	Command transfer menu
6	1> ERROR	C1, C2 error display
7	2> SPEED X1	Disc speed selection
8	3> ISRC	ISRC display
9	4> CHECK8	Check 8 cm display
10	5> AUTO G	Auto gain display
11	6> HENSHIN	Decentiering display
12	7> PORT	Port selection
13	8> AMS ON	AMS display
14	9> TRK ON	TRK ON/OFF display
15	<5> MD Test	MD all sorts test
16	<6> Retry & TOC	MD TOC off & Retry test
17	<7> PC LINK	PC connection check
18	<8> Initial	All reset
19	<9> MD Update	Software update
20	<10> Sircs	Sircs code display
21	<11> Dump	Microcomputer Dump mode
22	<12> CD Aging	CD Aging
23	<13> Rep 5 off	Cancel restriction of repeat five times
24	<14> KeyBoard	Keyboard check
25	<15> Special	Command, Sircs test
26	<16> CD Ship	Shipment mode

Microcomputer Version Display

Procedure:

1. Enter the service mode, then turn [◀◀ AMS ▶▶] (MD) knob to display “<1> Version”, and press the [◀◀ AMS ▶▶] (MD).
2. The CD microcomputer version is displayed, and then press the [◀◀ AMS ▶▶] (MD) knob, and the MD microcomputer version and the display microcomputer version will be displayed.
3. To exit from the mode, press the [◀◀ AMS ▶▶] (MD) knob.

FL Display Test/LED display test

Procedure:

1. Enter the service mode, then turn [◀◀ AMS ▶▶] (MD) knob to display “<2> FLD”, and press the [◀◀ AMS ▶▶] (MD).
2. All segments of fluorescent display tube turn on, and all LEDs turn off. Successive pressing the [◀◀ AMS ▶▶] (MD) knob causes the fluorescent display tube to be grid display. The [DISC] button LED becomes green, and all others turn on.
3. Successive pressing the [◀◀ AMS ▶▶] (MD) knob causes the fluorescent display tube to be another grid display. The [DISC] button LED becomes amber, and all others turn on.
4. To exit from the mode, press the [◀◀ AMS ▶▶] (MD) knob.

Key/Jog Input Test

Procedure:

1. Enter the service mode, then turn [◀◀ AMS ▶▶] (MD) knob to display “<3> Key, Jog”, and press the [◀◀ AMS ▶▶] (MD).
2. Turning the [◀◀ AMS ▶▶] (MD) knob moves the R-CH level meter, and turning the [◀◀ AMS ▶▶] (CD) knob moves the L-CH level meter.
3. Press the buttons in order, and when all buttons were pressed, “Key OK!” will be displayed.
4. To exit from the mode, press the [◀◀ AMS ▶▶] (MD) knob.

Software Reset

Procedure:

1. Enter the service mode, then turn [◀◀ AMS ▶▶] (MD) knob to display “<8> Initial”, and press the [◀◀ AMS ▶▶] (MD).
2. The microcomputer resets the software, and the power is turned off.

Shipping initial mode (CD ship setting)

At the shipment, finally perform the following operation.

Procedure:

1. Enter the Service mode, then turn [◀◀ AMS ▶▶] (MD) knob to display “<16> CD Ship”, and press the [◀◀ AMS ▶▶] (MD).
2. “DISC 1” is chucked by the microcomputer control, and the power is turned off with the BD shutter left open.

RETRY CAUSE DISPLAY MODE IN MD

- In this test mode, the causes for retry of the unit during recording can be displayed on the fluorescent indicator tube. During playback, the “track mode” for obtaining track information will be set.
This is useful for locating the faulty part of the unit.
- The following will be displayed :
During recording and stop: Retry cause, number of retries, and number of retry errors.
During playback : Information such as type of disc played, part played, copyright.
These are displayed in hexadecimal.

Procedure:

- Load a recordable disc whose contents can be erased into the unit.
- Press the [MENU/NO] button. When “Edit Menu” is displayed on the fluorescent indicator tube, turn the [$\lll \text{AMS} \ggg$] (MD) knob to display “All Erase?”.
- Press the [YES] button. (Or press the [$\lll \text{AMS} \ggg$] (MD) knob)
- “All Erase?” is displayed on the fluorescent indicator tube.
- Press the [YES] button to display “Complete!”. (The [$\lll \text{AMS} \ggg$] (MD) knob can be pressed instead of the [YES] button for the same results)
- Press \blacksquare (CD) button, \blacksquare (MD) button, and [YES] button simultaneously.
- Press the [$\lll \text{AMS} \ggg$] (MD) knob and \blacksquare (MD) button to display “<0> To Normal”.
- Turn [$\lll \text{AMS} \ggg$] (MD) knob to display “<6> Retry & TOC”, and press the [$\lll \text{AMS} \ggg$] (MD) knob.
- Press the [REC] button to start recording. Then press the \blacksquare (MD) button and start recording.
- To check the “track mode”, press the \blacksquare (MD) button to start play.
- To release the test mode, press the I/O button, and turn OFF the power. When “TOC” disappears, disconnect the power plug from the outlet.

**Fig. 1 Reading the Test Mode Display
(During recording and stop)**

$\boxed{\text{RTs@@c##e**}}$
Fluorescent indicator tube display

@@ : Cause of retry
: Number of retries
** : Number of retry errors

**Fig. 2 Reading the Test Mode Display
(During playback)**

$\boxed{@ @ \# \# \# * \$ \$}$
Fluorescent indicator tube display

@@ : Parts No. (name of area named on TOC)
: Cluster } Address
** : Sector }
\$\$: Track mode (Track information such as copy-right information of each part)

Reading the Retry Cause Display

Hexadecimal	Higher Bits				Lower Bits				Hexa-decimal	Cause of Retry	Occurring conditions
	8	4	2	1	8	4	2	1			
Bit	b7	b6	b5	b4	b3	b2	b1	b0			
Binary	0	0	0	0	0	0	0	1	01	shock	When track jump (shock) is detected
	0	0	0	0	0	0	1	0	02	ader5	When ADER was counted more than five times continuously
	0	0	0	0	0	1	0	0	04	Discontinuous address	When ADIP address is not continuous
	0	0	0	0	1	0	0	0	08	DIN unlock	When DIN unlock is detected
	0	0	0	1	0	0	0	0	10	FCS incorrect	When not in focus
	0	0	1	0	0	0	0	0	20	IVR rec error	When ABCD signal level exceeds the specified range
	0	1	0	0	0	0	0	0	40	CLV unlock	When CLV is unlocked
	1	0	0	0	0	0	0	0	80	Access fault	When access operation is not performed normally

Reading the Display:

Convert the hexadecimal display into binary display. If more than two causes, they will be added.

Example

When 42 is displayed:

Higher bit: 4 = 0100 → b6

Lower bit : 2 = 0010 → b1

In this case, the retry cause is combined of “CLV unlock” and “ader5”.

When A2 is displayed:

Higher bit: A = 1010 → b7 + b5

Lower bit : 2 = 0010 → b1

The retry cause in this case is combined of “Access fault”, “IVR rec error”, and “ader5”.

Reading the Retry Cause Display

Hexadecimal	Higher Bits				Lower Bits				Hexa-decimal	Details	
	8	4	2	1	8	4	2	1		When 0	When 1
Bit	b7	b6	b5	b4	b3	b2	b1	b0			
Binary	0	0	0	0	0	0	0	1	01	Emphasis OFF	Emphasis ON
	0	0	0	0	0	0	1	0	02	Monaural	Stereo
	0	0	0	0	0	1	0	0	04	This is 2-bit display. Normally 01.	
	0	0	0	0	1	0	0	0	08	01:Normal audio. Others:Invalid	
	0	0	0	1	0	0	0	0	10	Audio (Normal)	Invalid
	0	0	1	0	0	0	0	0	20	Original	Digital copy
	0	1	0	0	0	0	0	0	40	Copyright	No copyright
	1	0	0	0	0	0	0	0	80	Write prohibited	Write allowed

Reading the Display:

Convert the hexadecimal display into binary display. If more than two causes, they will be added.

Example When 84 is displayed:

Higher bit: 8 = 1000 → b7

Lower bit : 4 = 0100 → b2

In this case, as b2 and b7 are 1 and others are 0, it can be determined that the retry cause is combined of “Emphasis OFF”, “Monaural”, “Original”, “Copyright”, and “Write allowed”.

Example When 07 is displayed:

Higher bit: 0 = 0000 → All 0

Lower bit : 7 = 0111 → b0 + b1 + b2

In this case, as b0, b1, and b2 are 1 and others are 0, it can be determined that the retry cause is combined of “Emphasis ON”, “Stereo”, “Original”, “Copyright”, and “Write prohibited”.

Hexadecimal → Binary Conversion Table

Hexadecimal	Binary	Hexadecimal	Binary
0	0000	8	1000
1	0001	9	1001
2	0010	A	1010
3	0011	B	1011
4	0100	C	1100
5	0101	D	1101
6	0110	E	1110
7	0111	F	1111

CD SECTION

- In checking the CD block and MAIN board, prepare jig.
- In checking the CD block, prepare jig (extension cable J-2501-075-A) to connect the BD (CD) board (CN101) and MAIN board (CN302).
- In checking the MAIN board, prepare jig (extension cable J-2501-094-A) to connect the MAIN board (CN802) and DISPLAY board (CN951).

CD-TEXT TEST DISC

This unit is able to display the test data (character information) written in the CD on its fluorescent indicator tube. The CD-TEXT TEST DISC (TGCS-313:4-989-366-01) is used for checking the display.

To check, perform the following procedure.

Checking Method:

1. Turn ON the power, set the disc to the disc table with the “test disc” label facing up, and chuck the disc.
2. Press the  (CD) button and play back the disc.
3. The following will be displayed on the fluorescent indicator tube.
Display : *IKHZ/0BB*
4. Rotating  (CD) knob, select the track. The text data of each track will be displayed.
For details of the displayed contents for each track, refer to “Table 1 : CD-TEXT TEST DISC TEXT Data Contents” and “Table 2 : CD-TEXT TEST DISC Recorded Contents and Display”.

Restrictions in CD-TEXT Display

In this unit, some special characters will not be displayed properly. These will be displayed as a space or a character resembling it. For details, refer to “Table 2 : CD-TEXT DISC Recorded Contents and Display”.

Table 1 : CD-TEXT TEST DISC TEXT Data Contents (TRACKS No. 1 to 41:Normal Characters)

TRACK No.	Displayed Contents	TRACK No.	Displayed Contents
1	1kHz/0dB/L&R	22	1kHz/-90dB/L&R
2	20Hz/0dB/L&R	23	Infinity Zero w/o emphasis//L&R
3	40Hz/0dB/L&R	24	Infinity Zero with emphasis//L&R
4	100Hz/0dB/L&R	25	400Hz+7kHz(4:1)/0dB/L&R
5	200Hz/0dB/L&R	26	400Hz+7kHz(4:1)/-10dB/L&R
6	500Hz/0dB/L&R	27	19kHz+20kHz(1:1)/0dB/L&R
7	1kHz/0dB/L&R	28	19kHz+20kHz(1:1)/-10dB/L&R
8	5kHz/0dB/L&R	29	100Hz/0dB/L*
9	7kHz/0dB/L&R	30	1kHz/0dB/L*
10	10kHz/0dB/L&R	31	10kHz/0dB/L*
11	16kHz/0dB/L&R	32	20kHz/0dB/L*
12	18kHz/0dB/L&R	33	100Hz/0dB/R*
13	20kHz/0dB/L&R	34	1kHz/0dB/R*
14	1kHz/0dB/L&R	35	10kHz/0dB/R*
15	1kHz/-1dB/L&R	36	20kHz/0dB/R*
16	1kHz/-3dB/L&R	37	100Hz Squer Wave//L&R
17	1kHz/-6dB/L&R	38	1kHz Squer Wave//L&R
18	1kHz/-10dB/L&R	39	1kHz w/emphasis/-0.37dB/L&R
19	1kHz/-20dB/L&R	40	5kHz w/emphasis/-4.53dB/L&R
20	1kHz/-60dB/L&R	41	16kHz w/emphasis/-9.04dB/L&R
21	1kHz/-80dB/L&R		

Note: The contents of Track No. 1 to 41 are the same as those of the current TEST DISC-their titles are displayed.

Table 2: CD-TEXT TEST DISC Recorded Contents and Display


(In this unit, some special characters cannot be displayed. This is not a fault)

TRACK No.	Recorded contents	Display
42	! " # \$ % & ' (21h to 27h) 1kHz 0dB L&R	← All the same
43	() * + , - . / (28h to 2Fh)	← All the same
44	0 1 2 3 4 5 6 7 (30h to 37h)	← All the same
45	8 9 : ; < = > ? (38h to 3Fh)	← All the same
46	@ A B C D E F G (40h to 47h)	← All the same
47	H I J K L M N O (48h to 4Fh)	← All the same
48	P Q R S T U V W (50h to 57h)	← All the same
49	X Y Z [¥] ^ _ (58h to 5Fh)	← All the same
50	` a b c d e f g (60h to 67h)	← All the same
51	h i j k l m n o (68h to 6Fh)	← All the same
52	p q r s t u v w (70h to 77h)	← All the same
53	x y z { } ~ (78h to 7Fh)	← All the same
54	¤ i ¢ £ ¤ ¥ ¤ § (A0h to A7h) 8859-1	(A0h to A7h) 8859-1
55	♪ © ª « ¬ ® ® ¬ (A8h to AFh)	(A8h to AFh)
56	• ± ² ³ ¹ μ ¶ • (B0h to B7h)	(B0h to B7h)
57	† ¹ ⁰ » ¼ ½ ¾ ˙ (B8h to BFh)	(B8h to BFh)
58	À Á Â Ã Ä Å Æ Ç (C0h to C7h)	A A A A A A C (C0h to C7h)
59	È É Ê Ë Ì Í Î Ï (C8h to CFh)	E E E E I I I I (C8h to CFh)
60	Ð Ñ Ò Ó Ô Õ Ö × (D0h to D7h)	D N O O O O O (D0h to D7h)
61	Ø Ù Ú Û Ü Ý Þ ß (D8h to DFh)	O U U U U Y (D8h to DFh)
62	à á â ã ä å æ ç (E0h to E7h)	a a a a a a c (E0h to E7h)
63	è é ê ë ì í î ï (E8h to FFh)	e e e e i i i i (E8h to EFh)
64	ð ñ ò ó ô ö õ ÷ (F0h to F7h)	d n o o o o o (F0h to F7h)
65	ø ù ú û ü ý Þ ÿ (F8h to FFh)	o u u u u y y (F8h to FFh)
66	No.66	← All the same
67	No.67	← All the same
to	to	to
99	No.99	← All the same

SECTION 2 GENERAL


LOCATION OF CONTROLS

- Front View



- | | | | | | |
|-------------|---|-------------|--|--------------------|-------------------------------|
| [1] | Remote sensor | [11] | CD operation button
▷ (play) button | [AMS] | AMS control |
| [2] | I/∅ (power) switch
STANDBY indicator | [12] | ▷ (pause) button | [YES] | YES button |
| [3] | DISC 1–5 button
DISK 1–5 ▲ (CD tray open/close) button | [13] | ■ (stop) button | [14] | ▷ (play) button |
| [4] | CD tray | [14] | ◀/▶ (forward/backward) button | [AMS] | ▷ (pause) button |
| [5] | CD SYNCHRO NORMAL button
CD SYNCHRO HIGH button | [15] | AMS control | [AMS] | ■ (stop) button |
| [6] | MD insertion slot | [16] | CLEAR button | [REC ●] | ◀/▶ (forward/backward) button |
| [7] | ▲ EJECT button | [17] | PLAY MODE button | [PLAY MODE] | REC ● (recording) button |
| [8] | MD LP indicator | [18] | TIME button | [TIME/CHAR] | PLAY MODE button |
| [9] | REC MODE button | [19] | REC-IT button | [INPUT] | TIME/CHAR button |
| [10] | PHONE LEVEL control
PHONE jack | [20] | DISPLAY button | [SLEEP] | INPUT button |
| | | [21] | Display window | | SLEEP button |
| | | [22] | MD operation button | | |
| | | [23] | MENU/NO button | | |
| | | [24] | CLEAR button | | |


- Rear View



- | | | | |
|------------|-----------------|------------|-------------------------|
| [1] | AC power cord | [4] | DIGITAL OPTICAL IN jack |
| [2] | ANALOG IN jack | [5] | KEYBOARD jack |
| [3] | ANALOG OUT jack | | |


SECTION 3 DISASSEMBLY

- This set can be disassembled in the order shown below.




Note: Follow the disassembly procedure in the numerical order given.


CASE




FRONT PANEL ASS'Y




HP BOARD, SW BOARD, LED BOARD, DISPLAY BOARD




CD MECHANISM DECK SECTION (CDM53G-21BD53), MD MECHANISM DECK SECTION (MDM-7X2A)




AUDIO BOARD




MAIN BOARD, POWER TRANSFORMER (TR701)




BD (MD) BOARD




HOLDER ASS'Y




GUIDE (L), SLIDER (EJ), SLIDER, LEVER (HEAD)




OPTICAL PICK-UP (KMS-262A/J1N), OVER WRITE HEAD (HR901)




SPINDLE MOTOR ASS'Y (M101), SLED MOTOR ASS'Y (M102), LOADING MOTOR ASS'Y (M103)



CD BASE UNIT (BU-21BD53)




FITTING BASE (GUIDE) ASS'Y, BRACKET (CHASSIS) AND MAGNET ASS'Y




TRAY (SUB)

- ① Rotating the pulley (LD), shift the slider (selection) in the direction of arrow **A**.
- ② Rotating the pulley (mode) in the arrow direction, adjust the tray (sub) to be removed.
- ③ Rotating the pulley (LD), shift the slider (selection) in the direction of arrow **B**.
- ④ Rotating the pulley (mode) in the arrow direction, remove the tray (sub).




CHASSIS (MOLD B) SECTION, STOCKER SECTION AND SLIDER (SELECTION)

Note: In mounting the parts, refer to page 26 - 28.




SECTION 4 ASSEMBLY




Note: Follow the assembly procedure in the numerical order given.


GEARS INSTALLATION




SLIDER (SELECTION) INSTALLATION



STOCKER SECTION INSTALLATION



CHASSIS (MOLD B) SECTION INSTALLATION



SECTION 5 TEST MODE

MD SECTION

Note: MD always plays double speed.

1. PRECAUTIONS FOR USE OF TEST MODE

- As loading related operations will be performed regardless of the test mode operations being performed, be sure to check that the disc is stopped before setting and removing it.

Even if the [EJECT] button is pressed while the disc is rotating during continuous playback, continuous recording, etc., the disc will not stop rotating.

Therefore, it will be ejected while rotating.

Be sure to press the [EJECT] button after pressing the [MENU/NO] button and the rotation of disc is stopped.

1-1. Recording laser emission mode and operating buttons

- Continuous recording mode (CREC MODE)
- Laser power check mode (LDPWR CHECK)
- Laser power adjustment mode (LDPWR ADJUST)
- Iop check (Iop compare)
- Iop value non-volatile writing (Iop NV save)
- Traverse (MO) check (EF MO CHECK)
- Traverse (MO) adjustment (EF MO ADJUST)
- When pressing the [REC ●] button.

2. SETTING THE TEST MODE

The following is the method of entering the test mode.

Procedure: Press the [CD], [MD] and [YES] buttons at the same time.

Press the [AMS] (MD) knob and [MD] button to display “<0> To Normal”.

Turn the [AMS] (MD) knob and when “<5> MD Test” is displayed, press the [AMS] (MD) knob.

When the test mode is set, “[Check]” will be displayed. Turn the [AMS] (MD) knob switches between the following four groups; … ↔ [Check] ↔ [Service] ↔ [Develop] ↔ ….

Note: Do not use the test mode in the [Develop] group.

If used, the unit may not operate normally.

If the [Develop] group is set accidentally, press the [MENU/NO] button immediately to exit the [Develop] group.

3. RELEASING THE TEST MODE

Press the [I/O] button to display “<5> MD Test”.

4. BASIC OPERATIONS OF THE TEST MODE

All operations are performed using the [AMS] (MD) knob, [YES] button, and [MENU/NO] button.

The functions of these buttons are as follows.

Function name	Function
[AMS] (MD) knob	Select and set sub menu.
[YES] button	Proceeds onto the next step. Finalizes input.
[MENU/NO] button	Returns to previous step. Stops operations.

5. SELECTING THE TEST MODE

There are 26 types of test modes as shown below. The groups can be switched by turning the [◀◀ AMS ▶▶] (MD) knob. After selecting the group to be used, press the [YES] button. After setting a certain group, turn the [◀◀ AMS ▶▶] (MD) knob switches modes shown below.

Refer to “Group” in the table for details can be selected.

All items used for servicing can be treated using group [Service]. So be carefully not to enter other groups by mistake.

Note: Do not use the test mode in the [Develop] group.

If used, the unit may not operate normally.

If the [Develop] group is set accidentally, press the [MENU/NO] button immediately to exit the [Develop] group.

Display	No.	Details	Mark	Group	
				Check	Service
AUTO CHECK	C01	Automatic self-diagnosis			<input type="radio"/>
Err Display	C02	Error history display, clear			<input type="radio"/>
TEMP ADJUST	C03	Temperature compensation offset adjustment			<input type="radio"/>
LDPWR ADJUST	C04	Laser power adjustment			<input type="radio"/>
Iop Write	C05	Iop data writing			<input type="radio"/>
Iop NV Save	C06	Writes current Iop value in read nonvolatile memory using microprocessor			<input type="radio"/>
EF MO ADJUST	C07	Traverse (MO) adjustment			<input type="radio"/>
EF CD ADJUST	C08	Traverse (CD) adjustment			<input type="radio"/>
FBIAS ADJUST	C09	Focus bias adjustment			<input type="radio"/>
AG Set (MO)	C10	Auto gain output level adjustment (MO)			<input type="radio"/>
AG Set (CD)	C11	Auto gain output level adjustment (CD)			<input type="radio"/>
TEMP CHECK	C12	Temperature compensation offset check		<input type="radio"/>	<input type="radio"/>
LDPWR CHECK	C13	Laser power check		<input type="radio"/>	<input type="radio"/>
EF MO CHECK	C14	Traverse (MO) check		<input type="radio"/>	<input type="radio"/>
EF CD CHECK	C15	Traverse (CD) check		<input type="radio"/>	<input type="radio"/>
FBIAS CHECK	C16	Focus bias check		<input type="radio"/>	<input type="radio"/>
ScurveCHECK	C17	S-curve check	X	<input type="radio"/>	
VERIFYMODE	C18	Nonvolatile memory check	X	<input type="radio"/>	
DETRK CHECK	C19	Detrack check	X	<input type="radio"/>	
0920 CHECK	C25	Most circumference check	X	<input type="radio"/>	
Iop Read	C26	Iop data display		<input type="radio"/>	<input type="radio"/>
Iop Compare	C27	Comparison with initial Iop value written in nonvolatile memory		<input type="radio"/>	<input type="radio"/>
ADJ CLEAR	C28	Initialization of nonvolatile memory for adjustment values			<input type="radio"/>
INFORMATION	C31	Display of microprocessor version, etc.		<input type="radio"/>	<input type="radio"/>
CPLAY2MODE	C36	Continuous playback mode		<input type="radio"/>	<input type="radio"/>
CREC 2MODE	C37	Continuous recording mode		<input type="radio"/>	<input type="radio"/>

- For details of each adjustment mode, refer to “6. Electrical Adjustments”.

For details of “Err Display”, refer to “Self-Diagnosis Function” on page 2.

- If a different mode has been selected by mistake, press the [MENU/NO] button to release that mode.
- Modes with (X) in the Mark column are not used for servicing and therefore are not described in detail. If these modes are set accidentally, press the [MENU/NO] button to release the mode immediately.

5-1. Operating the Continuous Playback Mode

1. Entering the continuous playback mode
 - (1) Set the disc in the unit. (Whichever recordable discs or discs for playback only are available)
 - (2) Turn the [◀◀ AMS ▶▶] (MD) knob and display “CPLAY2MODE” (C36).
 - (3) Press the [YES] button to change the display to “CPLAY2MID”.
 - (4) When access completes, the display changes to “C = 0000 AD = 00”.

Note: The numbers “0” displayed show you error rates and ADER.
2. Changing the parts to be played back
 - (1) Press the [YES] button during continuous playback to change the display as below.

“CPLAY2MID” → “CPLAY2OUT” → “CPLAY2IN”


When pressed another time, the parts to be played back can be moved.

- (2) When access completes, the display changes to “C = 0000 AD = 00”.

Note: The numbers “0” displayed show you error rates and ADER.

3. Ending the continuous playback mode
 - (1) Press the [MENU/NO] button. The display will change to “CPLAY2MODE” (C36).
 - (2) Press the [⏏ EJECT] button and take out the disc.

Note: The playback start addresses for IN, MID, and OUT are as follows.

IN	40h cluster
MID	300h cluster
OUT	700h cluster

5-2. Operating the Continuous Recording Mode (Use only when performing self-recording/playback check)

1. Entering the continuous recording mode
 - (1) Set a recordable disc in the unit.
 - (2) Turn the [◀◀ AMS ▶▶] (MD) knob and display “CREC 2MODE” (C37).
 - (3) Press the [YES] button to change the display to “CREC 2MID”.
 - (4) When access completes, the display changes to “CREC (0000)” and “REC” lights up.

Note: The numbers “0” displayed shows you the recording position addresses.
2. Changing the parts to be recorded
 - (1) When the [YES] button is pressed during continuous recording, the display changes as below.

“CREC 2MID” → “CREC 2OUT” → “CREC 2IN”


When pressed another time, the parts to be recorded can be changed. “REC” goes off.

- (2) When access completes, the display changes to “CREC (0000)” and “REC” lights up.

Note: The numbers “0” displayed shows you the recording position addresses.

3. Ending the continuous recording mode
 - (1) Press the [MENU/NO] button. The display changes to “CREC 2MODE” (C37) and “REC” goes off.
 - (2) Press the [⏏ EJECT] button and take out the disc.

Note 1: The recording start addresses for IN, MID, and OUT are as follows.

IN	40h cluster
MID	300h cluster
OUT	700h cluster

Note 2: The [MENU/NO] button can be used to stop recording anytime.

Note 3: Do not perform continuous recording for long periods of time above 5 minutes.

Note 4: During continuous recording, be careful not to apply vibration.

6. FUNCTIONS OF OTHER BUTTONS

Function	Contents
▷ (MD)	Sets continuous playback when pressed in the STOP state. When pressed during continuous playback, the tracking servo turns ON/OFF.
■ (MD)	Stops continuous playback and continuous recording.
▶ (MD)	The sled moves to the outer circumference only when this is pressed.
◀ (MD)	The sled moves to the inner circumference only when this is pressed.
REC MODE	Switches between the pit and groove modes when pressed.
PLAY MODE (MD)	Switches the spindle servo mode (CLVS ↔ CLVA).
DISPLAY	Switches the displayed contents each time the button is pressed
⏏ EJECT	Ejects the disc
I/∅	Releases the test mode

7. TEST MODE DISPLAYS

Each time the [DISPLAY] button is pressed, the display changes in the following order.

When CPLAY and CREC are started, the display will forcibly be switched to the error rate display as the initial mode.

1. Mode display

Displays "TEMP ADJUST" (C03), "CPLAY2MODE" (C36), etc.

2. Error rate display

Displays the error rate in the following way.

C = **0000** AD = **00**

C = : Indicates the C1 error.

AD = : Indicates ADER.

3. Address display

The address is displayed as follows. (MO: recordable disc, CD: playback only disc)

h = **0000** s = **0000** (MO pit and CD)


h = **0000** a = **0000** (MO groove)

h = Indicates the header address.

s = Indicates the SUBQ address.

a = Indicates the ADIP address.

Note: “-” is displayed when servo is not imposed.



MEANINGS OF OTHER DISPLAYS

Display	Contents	
	When Lit	When Off
▶	Servo ON	Servo OFF
⏸	Tracking servo OFF	Tracking servo ON
REC	Recording mode ON	Recording mode OFF
TOC EDIT	CLV low speed mode	CLV normal mode
L.SYNC	ABCD adjustment completed	
OVER	Tracking offset cancel ON	Tracking offset cancel OFF
B/1	Tracking auto gain OK	
A-REP	Focus auto gain OK	
TRACK/(LP4)/calendar frame	Pit	Groove
DISC/LP2	High reflection	Low reflection
SHUF	CLVS	CLVA
MONO	CLV LOCK	CLV UNLOCK

8. AUTOMATIC SELF-DIAGNOSIS FUNCTION

This test mode performs CREC and CPLAY automatically for mainly checking the characteristics of the optical pick-up.
To perform this test mode, the laser power must first be checked.

Perform AUTO CHECK after the laser power check and Iop check.

Procedure:

1. Press the [YES] button. If “LDPWR ミチェック” is displayed, it means that the laser power check has not been performed. In this case, perform the laser power check and Iop compare, and then repeat from step 1.
2. If a disc is in the mechanical deck, it will be ejected forcibly.
“DISC IN” will be displayed in this case. Load a test disc (MDW-74/GA-1) which can be recorded.
3. If a disk is loaded at step 2, the check will start automatically.
4. When “XX CHECK” is displayed, the item corresponding to XX will be performed.
When “06 CHECK” completes, the disc loaded at step 2 will be ejected. “DISC IN” will be displayed. Load the check disc (MD) TDYS-1.
5. When the disc is loaded in step 4, the check will automatically be resumed from “07 CHECK”.
6. After completing to test item 12, check OK or NG will be displayed. If all items are OK, “CHECK ALL OK” will be displayed. If any item is NG, it will be displayed as “NG:xxxx”.

When “CHECK ALL OK” is displayed, it means that the optical pick-up is normal. Check the operations of the other spindle motor, sled motor, etc.

When displayed as “NG:xxxx”, it means that the optical pick-up is faulty. In this case, replace the optical pick-up.

9. INFORMATION

Display the software version.

Procedure:

1. If displayed as “INFORMATION”, press the [YES] button.
2. The software version will be displayed.
3. Press the [MENU/NO] button to end this mode.

10. WHEN MEMORY NG IS DISPLAYED

If the nonvolatile memory data is abnormal, “E0001/MEMORY NG” will be displayed so that the MD deck does not continue operations. In this case, set the test mode promptly and perform the following procedure.

Procedure:

1. Set the test mode (refer to page 29).
2. Normally a message for selecting the test mode will be displayed. However if the nonvolatile memory is abnormal, the following will be displayed “INIT EEP?”.
3. Press the [■ (MD)] button and [▲ EJECT] button together.
4. Rotate the [◀◀ AMS ▶▶] knob and select MDM-7X2A.
5. Press the [◀◀ AMS ▶▶] knob. If the nonvolatile memory is successfully overwritten, the normal test mode will be set and a message to select the test mode will be displayed.

CD SECTION

Set the CD test mode when performing confirmations.

After completing confirmation, release the CD test mode. (Turn the **[◀◀ AMS ▶▶]** (MD) knob, “<8> Initial” displayed and press the **[◀◀ AMS ▶▶]** (MD) knob so that the power is turned off.)

1. COMMAND TRANSFER MENU

Procedure:

- (1) Enter the test mode, then rotate **[◀◀ AMS ▶▶]** (MD) knob to display “0> COMMAND”, and press the **[◀◀ AMS ▶▶]** (MD) knob.
- (2) Select a command with **[◀◀ AMS ▶▶]** (MD) knob, and press the **[◀◀ AMS ▶▶]** (MD) knob to set.
- (3) Select the edit position with **[◀]** (MD) and **[▶]** (MD) buttons, and rotate **[◀◀ AMS ▶▶]** (MD) knob for editing, then press the **[◀◀ AMS ▶▶]** (MD) knob for transfer.
- (4) To exit from this mode, press the **[MENU/NO]** button.

2. C1, C2 ERROR DISPLAY

Procedure:

- (1) Enter the test mode, then rotate **[◀◀ AMS ▶▶]** (MD) knob to display “1> ERROR”, and press the **[◀◀ AMS ▶▶]** (MD) knob.
- (2) C1 error and C2 error are displayed on the left side and right side with 4-digit codes respectively.
- (3) To exit from this mode, press the **[MENU/NO]** button.

3. DISC SPEED SELECTION

Procedure:

- (1) Enter the test mode, then rotate **[◀◀ AMS ▶▶]** (MD) knob to display “2> SPEED X1”, and press the **[◀◀ AMS ▶▶]** (MD) knob.
- (2) Each time the **[◀◀ AMS ▶▶]** (MD) knob is pressed, the speed changes over such as x1 → x2 → x4 → x1.
- (3) To exit from this mode, press the **[MENU/NO]** button.

4. CHECK 8 DISPLAY

Procedure:

- (1) Enter the test mode, then rotate **[◀◀ AMS ▶▶]** (MD) knob to display “4> CHECK8”, and press the **[◀◀ AMS ▶▶]** (MD) knob.
- (2) The time from spindle kick to GFS detect is displayed.
- (3) To exit from this mode, press the **[MENU/NO]** button.

5. PORT SELECTION

Procedure:

- (1) Enter the test mode, then rotate **[◀◀ AMS ▶▶]** (MD) knob to display “7> PORT”, and press the **[◀◀ AMS ▶▶]** (MD) knob.
- (2) Rotate the **[◀◀ AMS ▶▶]** (MD) knob to select GFS, ERROR RATE, RFCK and press the **[◀◀ AMS ▶▶]** (MD) knob to set.
- (3) To exit from this mode, press the **[MENU/NO]** button.

6. AMS ON/OFF

Procedure:

- (1) Enter the test mode, then rotate **[◀◀ AMS ▶▶]** (MD) knob to display “8> AMS ON”, and press the **[◀◀ AMS ▶▶]** (MD) knob.
- (2) Switch the high speed ON/OFF of the track jump.
- (3) To exit from this mode, press the **[MENU/NO]** button.

7. TRK ON/OFF

Procedure:

- (1) Enter the test mode, then rotate **[◀◀ AMS ▶▶]** (MD) knob to display “9> TRK ON”, and press the **[◀◀ AMS ▶▶]** (MD) knob.
- (2) Switch the tracking servo ON/OFF.
- (3) To exit from this mode, press the **[MENU/NO]** button.

SECTION 6 ELECTRICAL ADJUSTMENTS


MD SECTION

Note: MD always plays double speed.


1. PARTS REPLACEMENT AND ADJUSTMENT

If malfunctions caused by optical pick-up such as sound skipping are suspected, follow the following check.

Check before replacement



Adjustment flow




2. PRECAUTIONS FOR CHECKING LASER DIODE EMISSION

To check the emission of the laser diode during adjustments, never view directly from the top as this may lose your eye-sight.

3. PRECAUTIONS FOR USE OF OPTICAL PICK-UP (KMS-262A)

As the laser diode in the optical pick-up is easily damaged by static electricity, solder the laser tap of the flexible board when using it. Before disconnecting the connector, desolder first. Before connecting the connector, be careful not to remove the solder. Also take adequate measures to prevent damage by static electricity. Handle the flexible board with care as it breaks easily.



Optical pick-up flexible board

4. PRECAUTIONS FOR ADJUSTMENTS

1. When replacing the following parts, perform the adjustments and checks with ○ in the order shown in the following table.
2. Set the test mode when performing adjustments.
After completing the adjustments, exit the test mode.
Perform the adjustments and checks in "Group Service" of the test mode.
3. Perform the adjustments to be needed in the order shown.
4. Use the following tools and measuring devices.
 - Check Disc (MD) TDYS-1 (Parts No. 4-963-646-01)
 - Test Disc (MDW-74/GA-1) (Parts No. 4-229-747-01)
 - Laser power meter LPM-8001 (Parts No. J-2501-046-A)
or
MD Laser power meter 8010S (Parts No. J-2501-145-A)*¹
 - Oscilloscope (Measure after performing CAL of prove.)
 - Digital voltmeter
 - Thermometer
 - Jig for checking BD (MD) board waveform
(Parts No. : J-2501-196-A)

5. When observing several signals on the oscilloscope, etc., make sure that VC and ground do not connect inside the oscilloscope.
(VC and ground will become short-circuited.)
6. Using the above jig enables the waveform to be checked without the need to solder.
(Refer to Servicing Notes on page 7.)
7. As the disc used will affect the adjustment results, make sure that no dusts nor fingerprints are attached to it.

*¹ Laser power meter

When performing laser power checks and adjustment (electrical adjustment), use of the new MD laser power meter 8010S (Part No. J-2501-145-A) instead of the conventional laser power meter is convenient.

It sharply reduces the time and trouble to set the laser power meter sensor onto the objective lens of optical pick-up.

Adjustment	Parts to be replaced						
	Optical Pick-up	IC101	IC102	IC151	IC190	IC195	D101
7. Initial setting of adjustment value	○	×	×	×	×	○	×
8. Recording of Iop information	○	×	×	×	×	○	×
9. Temperature compensation offset adjustment	×	○	×	×	×	○	○
10. Laser power adjustment	○	×	×	×	○	○	×
11. Iop NV Save	○	×	○	×	○	○	×
12. Traverse adjustment	○	○	×	○	×	○	×
13. Focus bias adjustment	○	○	×	○	×	○	×
16. Auto gain adjustment	○	○	×	○	×	○	×
6-4. AUTO CHECK	○	○	×	○	○	○	×

5. USING THE CONTINUOUSLY RECORDED DISC

* This disc is used in focus bias adjustment and error rate check. The following describes how to create a continuous recording disc.

1. Insert a disc (blank disc) commercially available.
2. Rotate the **[◀◀ AMS ▶▶]** (MD) knob and display “CREC 2 MODE” (C37).
3. Press the **[YES]** button again to display “CREC 2MID”. Display “CREC (0300)” and start to recording.
4. Complete recording within 5 minutes.
5. Press the **[MENU/NO]** button and stop recording .
6. Press the **[⏏ EJECT]** button and remove the disc.

The above has been how to create a continuous recorded data for the focus bias adjustment and error rate check.

Note: Be careful not to apply vibration during continuous recording.

6. CHECKS PRIOR TO REPAIRS

These checks are performed before replacing parts according to “approximate specifications” to determine the faulty locations. For details, refer to “Checks Prior to Parts Replacement and Adjustments in MD” (see page 9).

6-1. Temperature Compensation Offset Check

When performing adjustments, set the internal temperature and room temperature to 22 to 28°C.


Checking Procedure:

1. Rotate the **[◀◀ AMS ▶▶]** (MD) knob to display “TEMP CHECK” (C12).
2. Press the **[YES]** button.
3. “T=@@(##) [OK]” should be displayed. If “T=@@(##) [NG]” is displayed, it means that the results are bad. (@@ indicates the current value set, and ## indicates the value written in the non-volatile memory.)

6-2. Laser Power Check

Before checking, check the Iop value of the optical pick-up. (Refer to 8. Recording and Displaying the Iop Information (see page 41).)

Connection:



Checking Procedure:


1. Set the laser power meter on the objective lens of the optical pick-up. (When it cannot be set properly, press the **[◀◀]** (MD) button or **[▶▶]** (MD) button to move the optical pick-up.) Connect the digital volt meter to CN105 pin ① (I+3V) and CN105 pin ② (IOP).
2. Then, rotate the **[◀◀ AMS ▶▶]** (MD) knob and display “LDPWR CHECK” (C13).
3. Press the **[YES]** button once and display “LD 0.9 mW \$ 00”. Check that the reading of the laser power meter become 0.84 to 0.92 mW.
4. Press the **[YES]** button once more and display “LD 7.0 mW \$ 00”. Check that the reading the laser power meter and digital voltmeter satisfy the specified value.

Specified Value:

Laser power meter reading : 7.0 ± 0.2 mW

Digital voltmeter reading : Optical pick-up displayed value $\pm 10\%$

(Optical pick-up label)



(For details of the method for checking this value, refer to “8. Recording and Displaying the Iop Information”.)

Iop = 82.5 mA in this case

Iop (mA) = Digital voltmeter reading (mV)/1 (Ω)

5. Press the **[MENU/NO]** button and display “LDPWR CHECK” (C13) and stop the laser emission. (The **[MENU/NO]** button is effective at all times to stop the laser emission.)

Note: After step 4, each time the **[YES]** button is pressed, the display will be switched between “LD 0.7 mW \$ 00”, “LD 6.2 mW \$ 00”, and “LD Wp ホセイ \$ 00”. Nothing needs to be performed here.

Checking Location: BD (MD) board (see page 45)

6-3. Iop Compare

The current Iop value at laser power 7 mW output and reference Iop value (set at shipment) written in the nonvolatile memory are compared, and the rate of increase/decrease will be displayed in percentage.

Note: Perform this function with the optical pick-up set at room temperature.

Procedure:

1. Rotate the **[◀◀ AMS ▶▶]** (MD) knob to display “Iop Compare” (C27).
2. Press the **[YES]** button and start measurements.
3. When measurements complete, the display changes to “ $\pm xx\%yy$ ”. xx is the percentage of increase/decrease, and OK or NG is displayed at yy to indicate whether the percentage of increase/decrease is within the allowable range.
4. Press the **[MENU/NO]** button to end.

6-4. Auto Check

This test mode performs CREC and CPLAY automatically for mainly checking the characteristics of the optical pick-up. To perform this test mode, the laser power must first be checked. Perform Auto Check after the laser power check and Iop compare.

Procedure:

1. Press the [YES] button. If “LDPWR ミチェック” is displayed, it means that the laser power check has not been performed. In this case, perform the laser power check and Iop compare, and then repeat from step 1.
2. If a disc is in the mechanical deck, it will be ejected forcibly. “DISC IN” will be displayed in this case. Load a test disc (MDW-74/GA-1) which can be recorded.
3. If a disc is loaded at step 2, the check will start automatically.
4. When “XX CHECK” is displayed, the item corresponding to XX will be performed. When “06 CHECK” completes, the disc loaded at step 2 will be ejected. “DISC IN” will be displayed. Load the check disc (MD) TDYS-1.
5. When the disc is loaded, the check will automatically be resumed from “07 CHECK”.
6. After completing to test item 12, check OK or NG will be displayed. If all items are OK, “CHECK ALL OK” will be displayed. If any item is NG, it will be displayed as “NG:xxxx”.

When “CHECK ALL OK” is displayed, it means that the optical pick-up is normal. Check the operations of the other spindle motor, thread motor, etc.

When displayed as “NG:xxxx”, it means that the optical pick-up is faulty. In this case, replace the optical pick-up.

6-5. Other Checks


All the following checks are performed by the Auto Check mode. They therefore need not be performed in normal operation.

- 6-6. Traverse Check
- 6-7. Focus Bias Check
- 6-8. C PLAY Check
- 6-9. Self-Recording/Playback Check


6-6. Traverse Check

Note 1: Data will be erased during MO reading if a recorded disc is used in this adjustment.

Note 2: If the traverse waveform is not clear, connect the oscilloscope as shown in the following figure so that it can be seen more clearly.




Connection:



Checking Procedure:

1. Connect an oscilloscope to CN105 pin ④ (TE) and CN105 pin ⑥ (VC) on the BD (MD) board.
2. Load a disc (any available on the market). (Refer to Note 1)
3. Press the [▶] (MD) button to move the optical pick-up outside the pit.
4. Turn the [◀◀ AMS ▶▶] (MD) knob to display “EF MO CHECK”(C14).
5. Press the [YES] button to display “EFB = MO-R”. (Laser power READ power/Focus servo ON/tracking servo OFF/spindle (S) servo ON)
6. Observe the waveform of the oscilloscope, and check that the specified value is satisfied. Do not turn the [◀◀ AMS ▶▶] (MD) knob.
(Read power traverse checking)

Traverse Waveform




Specified value : Below 10% offset value

$$\text{Offset value (\%)} = \frac{|A - B|}{2(A + B)} \times 100$$

7. Press the [YES] button to display “EFB = MO-W”.
8. Observe the waveform of the oscilloscope, and check that the specified value is satisfied. Do not turn the [◀◀ AMS ▶▶] (MD) knob.
(Write power traverse checking)

Traverse Waveform




Specified value : Below 10% offset value

$$\text{Offset value (\%)} = \frac{|A - B|}{2(A + B)} \times 100$$

9. Press the [YES] button to display “EFB = 00 MO-P”. Then, the optical pick-up moves to the pit area automatically and servo is imposed.
10. Observe the waveform of the oscilloscope, and check that the specified value is satisfied. Do not turn the [$\lll \text{AMS} \ggg$] (MD) knob.

Traverse Waveform




Specified value : Below 10% offset value

$$\text{Offset value (\%)} = \frac{|A - B|}{2(A + B)} \times 100$$

11. Press the [YES] button to display “EF MO CHECK” (C14). The disc stops rotating automatically.
12. Press the [$\triangle EJECT$] button and take out the disc.
13. Load the check disc (MD) TDYS-1.
14. Turn the [$\lll \text{AMS} \ggg$] (MD) knob and display “EF CD CHECK” (C15).
15. Press the [YES] button to display “EFB = 00 CD”. Servo is imposed automatically.
16. Observe the waveform of the oscilloscope, and check that the specified value is satisfied. Do not turn the [$\lll \text{AMS} \ggg$] (MD) knob.

Traverse Waveform



Specified value : Below 10% offset value

$$\text{Offset value (\%)} = \frac{|A - B|}{2(A + B)} \times 100$$

17. Press the [YES] button to display “EF CD CHECK” (C15).
18. Press the [$\triangle EJECT$] button and take out the check disc (MD) TDYS-1.

Checking Location: BD (MD) board (see page 45)

6-7. Focus Bias Check

Change the focus bias and check the focus tolerance amount.

Checking Procedure:

1. Load the test disc (MDW-74/GA-1).
 2. Turn the [$\lll \text{AMS} \ggg$] (MD) knob to display “CPLAY2 MODE” (C36).
 3. Press the [YES] button to display “CPLAY2MID”.
 4. Press the [MENU/NO] button when “C = 0000 AD = 00” is displayed.
 5. Turn the [$\lll \text{AMS} \ggg$] (MD) knob to display “FBIAS CHECK” (C16).
 6. Press the [YES] button to display “0000/00 c = 00”. The first four digits indicate the C1 error rate, the two digits after [/] indicate ADER, and the 2 digits after [c =] indicate the focus bias value.
- Check that the C1 error is below 20 and ADER is below 2.
7. Press the [YES] button to display “0000/00 b = 00”. Check that the C1 error is about 100 and ADER is below 2.
 8. Press the [YES] button to display “0000/00 a = 00”. Check that the C1 error is about 100 and ADER is below 2.
 9. Press the [MENU/NO] button, then press the [$\triangle EJECT$] button and take out the test disc.

6-8. C PLAY Check

MO Error Rate Check

Checking Procedure:

1. Load the test disc (MDW-74/GA-1).
2. Turn the [$\lll \text{AMS} \ggg$] (MD) knob to display “CPLAY2 MODE” (C36).
3. Press the [YES] button to display “CPLAY2MID”.
4. The display changes to “C = 0000 AD = 00”.
5. If the C1 error rate is below 20, check that ADER is 00.
6. Press the [MENU/NO] button to stop playback, then press the [$\triangle EJECT$] button and take out the test disc.

CD Error Rate Check

Checking Procedure:

1. Load the check disc (MD) TDYS-1.
2. Turn the [$\lll \text{AMS} \ggg$] (MD) knob to display “CPLAY2 MODE” (C36).
3. Press the [YES] button to display “CPLAY2MID”.
4. The display changes to “C = 0000 AD = 00”.
5. Check that the C1 error rate is below 20.
6. Press the [MENU/NO] button to stop playback, then press the [$\triangle EJECT$] button and take out the check disc.

6-9. Self-Recording/playback Check

Prepare a continuous recording disc using the unit to be repaired and check the error rate.

Checking Procedure:

1. Load a recordable disc (blank disc).
2. Turn the [$\lll \text{AMS} \ggg$] (MD) knob to display “CREC 2 MODE” (C37).
3. Press the [YES] button to display “CREC 2MID”.
4. When recording starts, lights up “REC” and display “CREC 2 @@@@” (@@@@ is the address).
5. About 1 minute later, press the [MENU/NO] button to stop continuous recording.
6. Turn the [$\lll \text{AMS} \ggg$] (MD) knob to display “CPLAY2 MODE” (C36).
7. Press the [YES] button to display “CPLAY2MID”.
8. “C = 0000 AD = 00” will be displayed.
9. Check that the C1 error becomes below 20 and the AD error below 2.
10. Press the [MENU/NO] button to stop playback, then press the [$\triangle EJECT$] button and take out the disc.

7. INITIAL SETTING OF ADJUSTMENT VALUE

Note:

Mode which sets the adjustment results recorded in the non-volatile memory to the initial setting value. However the results of the temperature compensation offset adjustment will not change to the initial setting value.

If initial setting is performed, perform all adjustments again excluding the temperature compensation offset adjustment.

For details of the initial setting, refer to "4. Precautions for Adjustments" and execute the initial setting before the adjustment as required.

Setting Procedure:

1. Turn the **[◀◀ AMS ▶▶]** (MD) knob to display "ADJ CLEAR" (C28).
2. Press the **[YES]** button. "Complete!" will be displayed momentarily and initial setting will be executed, after which "ADJ CLEAR" (C28) will be displayed.

8. RECORDING AND DISPLAYING THE IOP INFORMATION

The IOP data can be recorded in the non-volatile memory. The IOP value on the optical pick-up label and the IOP value after the adjustment will be recorded. Recording these data eliminates the need to read the label on the optical pick-up.

Recording Procedure:

1. Turn the **[◀◀ AMS ▶▶]** (MD) knob to display "Iop Write" (C05), and press the **[YES]** button.
2. The display becomes "Ref=@@.@" (@ is an arbitrary number) and the numbers which can be changed will blink.
3. Input the IOP value on the optical pick-up label.
To select the number : Turn the **[◀◀ AMS ▶▶]** (MD) knob.
To select the digit : Press the **[◀◀ AMS ▶▶]** (MD) knob
4. When the **[YES]** button is pressed, the display becomes "Measu=@@.@" (@ is an arbitrary number).
5. As the adjustment results are recorded for the 4 value. Leave it as it is and press the **[YES]** button.
6. "Complete!" will be displayed momentarily. The value will be recorded in the non-volatile memory and the display will become "Iop Write" (C05).

Display Procedure:

1. Turn the **[◀◀ AMS ▶▶]** (MD) knob to display "Iop Read" (C26).
2. "@@.#@##." is displayed and the recorded contents are displayed.
@@.@ indicates the IOP value on the optical pick-up label.
##.## indicates the IOP value after adjustment
3. To end, press the **[◀◀ AMS ▶▶]** (MD) button or **[MENU/NO]** button to display "Iop Read" (C26).

9. TEMPERATURE COMPENSATION OFFSET ADJUSTMENT

Save the temperature data at that time in the non-volatile memory as 25 °C reference data.

Note:

1. Usually, do not perform this adjustment.
2. Perform this adjustment in an ambient temperature of 22 °C to 28 °C. Perform it immediately after the power is turned on when the internal temperature of the unit is the same as the ambient temperature of 22 °C to 28 °C.
3. When D101 has been replaced, perform this adjustment after the temperature of this part has become the ambient temperature.

Adjusting Procedure:

1. Turn the **[◀◀ AMS ▶▶]** (MD) knob to display "TEMP ADJUST" (C03).
2. Press the **[YES]** button to select the "TEMP ADJUST" (C03) mode.
3. "TEMP = **00** [OK]" and the current temperature data will be displayed.
4. To save the data, press the **[YES]** button.
When not saving the data, press the **[MENU/NO]** button.
5. When the **[YES]** button is pressed, "TEMP = **00** SAVE" will be displayed and turned back to "TEMP ADJUST" (C03) display then. When the **[MENU/NO]** button is pressed, "TEMP ADJUST" (C03) will be displayed immediately.


Specified Value:

The "TEMP = **00**" should be within "E0 - EF", "F0 - FF", "00 - 0F", "10 - 1F" and "20 - 2F".

10. LASER POWER ADJUSTMENT

Check the IOP value of the optical pick-up before adjustments.
(Refer to 8. Recording and Displaying the Iop Information)

Connection:



Adjusting Procedure:


1. Set the laser power meter on the objective lens of the optical pick-up. (When it cannot be set properly, press the **[◀]** (MD) button or **[▶]** (MD) button to move the optical pick-up)
Connect the digital voltmeter to CN105 pin ① (I+3V) and CN105pin ② (IOP) on the BD (MD) board.
2. Turn the **[◀◀ AMS ▶▶]** (MD) knob to display "LDPWR ADJUST" (C04).
(Laser power : For adjustment)
3. Press the **[YES]** button once to display "LD 0.9 mW \$ **00**".
4. Turn the **[◀◀ AMS ▶▶]** (MD) knob so that the reading of the laser power meter becomes 0.85 to 0.91 mW. Press the **[YES]** button after setting the range knob of the laser power meter, and save the adjustment results. ("LD SAVE \$ **00**" will be displayed for a moment)
5. Then "LD 7.0 mW \$ **00**" will be displayed.

- Turn the **[◀◀ AMS ▶▶]** (MD) knob so that the reading of the laser power meter becomes 6.9 to 7.1 mW, press the **[YES]** button to save it.
 - Note:** Do not perform the emission with 7.0 mW more than 15 seconds continuously.
 - Then, turn the **[◀◀ AMS ▶▶]** (MD) knob to display “LDPWR CHECK” (C13).
 - Press the **[YES]** button once to display “LD 0.9 mW \$ **00**”. Check that the reading of the laser power meter become 0.85 to 0.91 mW.
 - Press the **[YES]** button once more to display “LD 7.0 mW \$ **00**”. Check that the reading the laser power meter and digital voltmeter satisfy the specified value.
- Note down the digital voltmeter reading value.

Specified Value:

Laser power meter reading: 7.0 ± 0.2 mW

Digital voltmeter reading : Value on the optical pick-up label
 $\pm 10\%$



- Press the **[MENU/NO]** button to display “LDPWR CHECK” (C13) and stop the laser emission.
 (The **[MENU/NO]** button is effective at all times to stop the laser emission.)
- Turn the **[◀◀ AMS ▶▶]** (MD) knob to display “Iop Write” (C05).
- Press the **[YES]** button. When the display becomes Ref=@@.@(@ is an arbitrary number), press the **[YES]** button to display “Measu=@@.@(@ is an arbitrary number).
- The numbers which can be changed will blink. Input the Iop value noted down at step 9.
 To select the number : Turn the **[◀◀ AMS ▶▶]** (MD) knob.
 To select the digit : Press the **[◀◀ AMS ▶▶]** (MD) knob.
- When the **[YES]** button is pressed, “Complete!” will be displayed momentarily. The value will be recorded in the non-volatile memory and the display will become “Iop Write” (C05).

Note: After step 4, each time the **[YES]** button is pressed, the display will be switched “LD 0.7 mW \$ **00**”, “LD 7.5 mW \$ **00**”, and “LD Wp 木セイ \$ **00**”. Nothing needs to be performed here.

Adjustment Location: BD (MD) board (see page 45)

11. Iop NV SAVE

Write the reference values in the nonvolatile memory to perform “Iop compare”. As this involves rewriting the reference values, do not perform this procedure except when adjusting the laser power during replacement of the optical pick-up and when replacing the IC102. Otherwise the optical pick-up check may deteriorate.

Note: Perform this function with the optical pick-up set at room temperature.

Procedure:


- Rotate the **[◀◀ AMS ▶▶]** (MD) knob to display “Iop NV Save” (C06).
- Press the **[YES]** button and display “Iop [stop]”.
- After the display changes to “Iop =xxsave?”, press the **[YES]** button.

- After “Complete!” is displayed momentarily, the display changes to “Iop 7.0 mW”.
- After the display changes to “Iop=yysave?”, press the **[YES]** button.
- When “Complete!” is displayed, it means that Iop NV saving has been completed.


12. TRAVERSE ADJUSTMENT

Note 1: Data will be erased during MO reading if a recorded disc is used in this adjustment.

Note 2: If the traverse waveform is not clear, connect the oscilloscope as shown in the following figure so that it can be seen more clearly.




Connection:



Adjusting Procedure:

- Connect an oscilloscope to CN105 pin ④ (TE) and CN105 pin ⑥ (VC) on the BD (MD) board.
- Load a disc (any available on the market). (Refer to Note 1)
- Press the **[▶]** (MD) button to move the optical pick-up outside the pit.
- Turn the **[◀◀ AMS ▶▶]** (MD) knob to display “EF MO ADJUST” (C07).
- Press the **[YES]** button to display “EFB = **00** MO-R”. (Laser power READ power/Focus servo ON/tracking servo OFF/spindle (S) servo ON)
- Turn the **[◀◀ AMS ▶▶]** (MD) knob so that the waveform of the oscilloscope becomes the specified value.
 (When the **[◀◀ AMS ▶▶]** (MD) knob is turned, the **00** of “EFB = **00**” changes and the waveform changes.) In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.
 (Read power traverse adjustment)

Traverse Waveform




Specification A = B

- Press the **[YES]** button and save the result of adjustment to the non-volatile memory (“EFB = **00** SAVE” will be displayed for a moment. Then “EFB = **00** MO-W” will be displayed).


- Turn the **[◀◀ AMS ▶▶]** (MD) knob so that the waveform of the oscilloscope becomes the specified value.
(When the **[◀◀ AMS ▶▶]** (MD) knob is turned, the **EFB = 00** of “EFB = 00” changes and the waveform changes.) In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.
(Write power traverse adjustment)

Traverse Waveform




- Press the **[YES]** button, and save the adjustment results in the non-volatile memory. (“EFB = 00 SAVE” will be displayed for a moment)
- “EFB = 00 MO-P” will be displayed.
The optical pick-up moves to the pit area automatically and servo is imposed.
- Turn the **[◀◀ AMS ▶▶]** (MD) knob until the waveform of the oscilloscope moves closer to the specified value.
In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.

Traverse Waveform



- Press the **[YES]** button, and save the adjustment results in the non-volatile memory. (“EFB = 00 SAVE” will be displayed for a moment.)
Next “EF MO ADJUST” (C07) is displayed. The disc stops rotating automatically.
- Press the **[⏏ EJECT]** button and take out the disc.
- Load the check disc (MD) TDYS-1.
- Turn the **[◀◀ AMS ▶▶]** (MD) knob to display “EF CD ADJUST” (C08).
- Press the **[YES]** button to display “EFB = 00 CD”. Servo is imposed automatically.
- Turn the **[◀◀ AMS ▶▶]** (MD) knob so that the waveform of the oscilloscope moves closer to the specified value.
In this adjustment, waveform varies at intervals of approx. 2%. Adjust the waveform so that the specified value is satisfied as much as possible.

Traverse Waveform



- Press the **[YES]** button, display “EFB = 00 SAVE” for a moment and save the adjustment results in the non-volatile memory.
Next “EF CD ADJUST” (C08) will be displayed.
- Press the **[⏏ EJECT]** button and take out the disc (MD) TDYS-1.


13. FOCUS BIAS ADJUSTMENT

Adjusting Procedure:

- Load the continuously-recorded disc. (Refer to “5. USING THE CONTINUOUSLY RECORDED DISC”)
- Turn the **[◀◀ AMS ▶▶]** (MD) knob to display “CPLAY2 MODE” (C36).
- Press the **[YES]** button to display “CPLAY2MID”.
- Press the **[MENU/NO]** button when “C = 0000 AD = 00” is displayed.
- Turn the **[◀◀ AMS ▶▶]** (MD) knob to display “FBIAS ADJUST” (C09).
- Press the **[YES]** button to display “0000/00 a = 00”.
The first four digits indicate the C1 error rate, the two digits after “/” indicate ADER, and the 2 digits after “a =” indicate the focus bias value.
- Turn the **[◀◀ AMS ▶▶]** (MD) knob clockwise and find the focus bias value at which the C1 error rate becomes about 200 (refer to Note 2).
- Press the **[YES]** button to display “0000/00 b = 00”.
- Turn the **[◀◀ AMS ▶▶]** (MD) knob counterclockwise and find the focus bias value at which the C1 error rate becomes about 200.
- Press the **[YES]** button to display “0000/00 c = 00”.
- Check that the C1 error rate is below 20 and ADER is 00. Then press the **[YES]** button.
- If the “(00)” in “00 - 00 - 00 (00)” is above 20, press the **[YES]** button.
If below 20, press the **[MENU/NO]** button and repeat the adjustment from step 2.
- Press the **[⏏ EJECT]** button and take out the disc.

Note 1: The relation between the C1 error and focus bias is as shown in the following figure. Find points A and B in the following figure using the above adjustment. The focal point position C is automatically calculated from points A and B.

Note 2: As the C1 error rate changes, perform the adjustment using the average vale.



14. ERROR RATE CHECK

14-1. CD Error Rate Check

Checking Procedure:

1. Load the check disc (MD) TDYS-1.
2. Turn the  (MD) knob and display “CPLAY2 MODE” (C36).
3. Press the  button twice and display “CPLAY2MID”.
4. The display changes to “C = 0000 AD = 00”.
5. Check that the C1 error rate is below 20.
6. Press the  button to stop playback, then press the  button and take out the check disc.

14-2. MO Error Rate Check

Checking Procedure:

1. Load the continuously-recorded disc. (Refer to “5. USING THE CONTINUOUSLY RECORDED DISC”)
2. Turn the  (MD) knob to display “CPLAY2 MODE” (C36).
3. Press the  button to display “CPLAY2MID”.
4. The display changes to “C1 = 0000 AD = 00”.
5. If the C1 error rate is below 20, check that ADER is 00.
6. Press the  button to stop playback, then press the  button and take out the test disc.

15. FOCUS BIAS CHECK

Change the focus bias and check the focus tolerance amount.

Checking Procedure:

1. Load the continuously-recorded disc. (Refer to “5. USING THE CONTINUOUSLY RECORDED DISC”)
2. Turn the  (MD) knob to display “CPLAY2 MODE” (C36).
3. Press the  button twice to display “CPLAY2MID”.
4. Press the  button when “C1 = 0000 AD = 00” is displayed.
5. Turn the  (MD) knob to display “FBIAS CHECK” (C16).
6. Press the  button to display “0000/00 c = 00”.
The first four digits indicate the C1 error rate, the two digits after “/” indicate ADER, and the 2 digits after “c =” indicate the focus bias value.
Check that the C1 error is below 20 and ADER is below 2.
7. Press the  button and display “0000/00 b = 00”.
Check that the C1 error is about 100 and ADER is below 2.
8. Press the  button and display “0000/00 a = 00”.
Check that the C1 error is about 100 and ADER is below 2
9. Press the  button, then press the  button and take out the disc.

Note: If the C1 error and ADER are above other than the specified value at points a (step 8. in the above) or b (step 7. in the above), the focus bias adjustment may not have been carried out properly. Adjust perform the beginning again.

16. AUTO GAIN CONTROL OUTPUT LEVEL ADJUSTMENT

Be sure to perform this adjustment when the optical pick-up is replaced.

If the adjustment results becomes “Adjust NG!”, the optical pick-up may be faulty or the servo system circuits may be abnormal.

16-1. CD Auto Gain Control Output Level Adjustment

Adjusting Procedure:

1. Load the check disc (MD) TDYS-1.
2. Turn the  (MD) knob to display “AG Set (CD)” (C11).
3. When the  button is pressed, the adjustment will be performed automatically.
“Complete!” will then be displayed momentarily when the value is recorded in the non-volatile memory, after which the display changes to “AG Set (CD)” (C11).
4. Press the  button and take out the check disc.


16-2. MO Auto Gain Control Output Level Adjustment

Adjusting Procedure:


1. Load the test disc (MDW-74/GA-1).
2. Turn the  (MD) knob to display “AG Set (MO)” (C10).
3. When the  button is pressed, the adjustment will be performed automatically.
“Complete!” will then be displayed momentarily when the value is recorded in the non-volatile memory, after which the display changes to “AG Set (MO)” (C10).
4. Press the  button and take out the test disc.

Adjustment and checking Loacation:

- BD (MD) BOARD (Component Side) -



- BD (MD) BOARD (Conductor Side) -



Note: It is useful to use the jig for checking the waveform. (Refer to Servicing Notes on page 7)


CD SECTION

Note:

1. CD Block is basically designed to operate without adjustment. Therefore, check each item in order given.
2. Use YEDS-18 disc (3-702-101-01) unless otherwise indicated.
3. Use an oscilloscope with more than $10M\Omega$ impedance.
4. Clean the object lens by an applicator with neutral detergent when the signal level is low than specified value with the following checks.
5. Level doesn't change whichever with normal speed or with four times speed.

S Curve Check


Connection:



Procedure:

1. Connect oscilloscope to test point TP (FE) and TP (VC) on BD (CD) board.
2. Turn ON the power.
3. Put disc (YEDS-18) in and turned Power switch on again and actuate the focus search. (actuate the focus search when disc table is moving in and out.)
4. Check the oscilloscope waveform (S-curve) is symmetrical between A and B. And confirm peak to peak level within 3.6 ± 0.5 Vp-p.

S-curve waveform




- Note:**
- Try to measure several times to make sure than the ratio of A : B or B : A is more than 10 : 7.
 - Take sweep time as long as possible and light up the brightness to obtain best waveform.

Check Location: BD (CD) board

RF Level Check


Connection:



Procedure:

1. Connect oscilloscope to test point TP (RF) and TP (VC) on BD (CD) board.
2. Turn ON the power.
3. Put disc (YEDS-18) in to play the number five track.
4. Confirm that oscilloscope waveform is clear and check RF signal level is correct or not.


Note: A clear RF signal waveform means that the shape "◊" can be clearly distinguished at the center of the waveform.



Check Location: BD (CD) board

E-F Balance Check


Connection:



Procedure:


1. Connect oscilloscope to test point TP (TE) and TP (VC) on BD (CD) board.
2. Turn ON the power.
3. Put disc (YEDS-18) in to play the number five track.
4. Press the (MD) knob to display "9> TRK ON" at the service mode. (The tracking servo and the sledding servo are turned OFF)
5. Check the level B of the oscilloscope's waveform and the A (DC voltage) of the center of the Traverse waveform. Confirm the following : $A/B \times 100 = \text{less than } \pm 22\%$

Traverse Waveform



6. Press the (MD) knob. (The tracking servo and sledding servo are turned ON) Confirm the C (DC voltage) is almost equal to the A (DC voltage) is step 5.


Traverse Waveform



Check Location: BD (CD) board

Adjustment and Checking Location:


- BD (CD) BOARD (Conductor Side) -



Adjustment for Replace the Base Unit (BU-21BD53)

When replacing the base unit (BU-21BD53), perform the adjustment with the following procedure.

Connection:



Adjustment procedure:


1. Connect the digital voltmeter to TP (+5 V) and TP (GND) on the MAIN board.
2. Adjust the RV700 so that the reading of the digital voltmeter becomes 5.21 ± 0.05 V.

Specified Value:

Digital voltmeter reading: 5.21 ± 0.05 V


Adjustment Location:

- MAIN BOARD (Component Side) -




SECTION 7 DIAGRAMS


7-1. BLOCK DIAGRAM – MD SERVO Section –



7-2. BLOCK DIAGRAM – MAIN Section –



7-3. BLOCK DIAGRAM – DISPLAY/POWER SUPPLY Section –






7-4. NOTE FOR PRINTED WIRING BOARDS AND SCHEMATIC DIAGRAMS (In addition to this, the necessary note is printed in each block)

Note on Printed Wiring Board:

- : parts extracted from the component side.
- : parts extracted from the conductor side.
- : Through hole.
- : Pattern from the side which enables seeing.
(The other layers' patterns are not indicated.)

Caution:
Pattern face side: Parts on the pattern face side seen from (Conductor Side) the pattern face are indicated.
Parts face side: Parts on the parts face side seen from (Component Side) the parts face are indicated.

Indication of transistor:



Printed wiring board of BD (CD) board is shown only for referring, because CD base unit is replaced as a block.

Note on Schematic Diagram:



- All capacitors are in μF unless otherwise noted. pF : μpF 50 WV or less are not indicated except for electrolytics and tantalums.
- All resistors are in Ω and $1/4\text{W}$ or less unless otherwise specified.
- \triangle : internal component.
- : fusible resistor.
- : panel designation.

Note:
The components identified by mark \triangle or dotted line with mark \triangle are critical for safety.
Replace only with part number specified.



Note:
Les composants identifiés par une marque \triangle sont critiques pour la sécurité.
Ne les remplacer que par une pièce portant le numéro spécifié.

- : $\text{B}+$: B+ Line.
- : $\text{B}-$: B- Line.
- : adjustment for repair.
- Voltages are taken with a VOM (Input impedance $10\text{ M}\Omega$). Voltage variations may be noted due to normal production tolerances.
- Waveforms are taken with a oscilloscope. Voltage variations may be noted due to normal production tolerances.
- Circled numbers refer to waveforms.
- Signal path.
- : MD PLAY (ANALOG OUT)
- : MD REC (ANALOG IN)
- : MD REC (DIGITAL IN)
- : CD PLAY

• Circuit Boards Location




7-5. PRINTED WIRING BOARD – BD (CD) Board – • See page 51 for Circuit Boards Location.



There are a few cases that the part isn't mounted in model is printed on diagrams.

Printed wiring board of BD (CD) board is shown only for referring, because CD base unit is replaced as a block.

7-6. SCHEMATIC DIAGRAM – BD (CD) Board – • See page 57 for Waveforms.



Note on Schematic Diagram:


- Voltages and waveforms are dc with respect to ground under no-signal conditions.
- no mark : CD STOP
- () : CD PLAY

The components identified by mark \triangle or dotted line with mark \triangle are critical for safety.
Replace only with part number specified.

Les composants identifiés par une marque \triangle sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

Printed wiring board of BD (CD) board is shown only for referring, because CD base unit is replaced as a block.

7-7. SCHEMATIC DIAGRAM – BD (MD) Board (1/2) – • See page 57 for Waveforms. • See page 74 for IC Block Diagrams.




Note on Schematic Diagram:

- Voltages and waveforms are dc with respect to ground under no-signal conditions.
- no mark : MD STOP
- () : MD PLAY
- < > : MD REC
- * : Impossible to measure



The components identified by mark \triangle or dotted line with mark \triangle are critical for safety.
Replace only with part number specified.

Les composants identifiés par une marque \triangle sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

7-8. SCHEMATIC DIAGRAM – BD (MD) Board (2/2) – • See page 57 for Waveforms. • See page 74 for IC Block Diagram.



7-9. PRINTED WIRING BOARD - BD (MD) Board - • See page 51 for Circuit Boards Location.



• Semiconductor Location


Ref. No.	Location
D101	A-1
Q101	B-1
Q131	C-1
Q132	B-1
Q133	B-1
Q134	C-1

• Semiconductor Location


Ref. No.	Location	Ref. No.	Location
D181	D-3	IC181	D-3
D183	D-3	IC190	D-1
IC101	A-3	IC195	D-2
IC102	B-3	Q121	B-3
IC141	C-1	Q122	B-3
IC151	C-2	Q181	D-3
IC152	C-3	Q182	D-3

• Waveforms
– BD (CD) Board –

① IC101 ② (MDP) (CD PLAY mode)




⑥ IC101 ② (XTAO)




– BD (MD) Board –


① IC101 ① (I), ② (J) (MD PLAY mode)




② IC101 ③ (FE) (CD PLAY mode)




② IC101 ④ (A) (MD PLAY mode)




③ IC101 ④ (TE) (CD PLAY mode)




③ IC101 ⑧ (E), ⑨ (F) (MD PLAY mode)




④ IC101 ④ (RFDC) (CD PLAY mode)




④ IC151 ⑩ (OSCI)



⑤ IC101 ⑤ (RFAC) (CD PLAY mode)




⑤ IC151 ⑩ (FS4)



• Semiconductor
Location


Ref. No.	Location
D300	E-8
D302	E-8
D303	E-8
IC800	G-2
IC801	B-9
IC805	E-3
Q302	F-3
Q303	E-8

【MAIN BOARD】(COMPONENT SIDE)



There are a few cases that the part isn't mounted in model
is printed on diagrams.

7-11. PRINTED WIRING BOARD – MAIN Board (Conductor Side) – • See page 51 for Circuit Boards Location.




• Semiconductor Location

Ref. No.	Location
D701	C-1
D707	A-8
D708	A-8
D710	A-9
D711	C-7
D712	D-6
D713	D-6
D714	B-6
D715	C-6
D716	D-6
D717	D-6
D718	D-4
D719	D-4
D720	D-4
D721	D-4
D722	E-5
D723	F-4
D724	F-5
D725	E-4
D726	C-1
D727	E-8
D728	E-4
D729	E-4
D730	E-4
D731	C-7
D732	C-1
D733	C-1
D734	D-2
D739	E-6
D740	E-7
D741	E-6
D742	D-1
D799	B-2
IC307	F-7
IC400	E-10
IC700	F-6
IC701	D-1
IC702	A-6
IC703	E-8
IC704	E-6
IC705	E-6
IC804	E-4
Q400	F-10
Q401	F-10
Q700	E-1
Q701	A-9
Q702	A-9
Q703	D-7
Q704	D-2
Q705	F-4
Q706	F-4


There are a few cases that the part isn't mounted in model
is printed on diagrams.


7-12. SCHEMATIC DIAGRAM – MAIN Board (1/4) – • See page 67 for Waveforms.



Note on Schematic Diagram:
 • Voltages and waveforms are dc with respect to ground under no-signal conditions.
 no mark : MD, CD STOP


7-13. SCHEMATIC DIAGRAM – MAIN Board (2/4) – • See page 67 for Waveform.



**Note on Schematic Diagram:**

- Voltages and waveforms are dc with respect to ground under no-signal conditions.
- no mark : MD, CD STOP
- () : MD PLAY

7-15. SCHEMATIC DIAGRAM – MAIN Board (4/4) – • See page 74 for IC Block Diagrams.




Note on Schematic Diagram:

- Voltages and waveforms are dc with respect to ground under no-signal conditions.
- no mark : MD, CD STOP


The components identified by mark \triangle or dotted line with mark \triangle are critical for safety. Replace only with part number specified.

Les composants identifiés par une marque \triangle sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

7-16. PRINTED WIRING BOARD – AUDIO Board (Component Side) – • See page 51 for Circuit Boards Location.



7-17. PRINTED WIRING BOARD – AUDIO Board (Conductor Side) – • See page 51 for Circuit Boards Location.




- Semiconductor Location

Ref. No.	Location
D100	D-7
D200	D-8
IC100	B-5
IC200	C-6
IC300	E-5
IC301	F-7
IC302	A-3
IC303	A-4
IC304	C-3
IC305	C-8
Q100	B-6
Q101	B-3
Q200	B-6
Q201	D-3
Q300	F-3
Q301	G-6

There are a few cases that the part isn't mounted in model
is printed on diagrams.

7-18. SCHEMATIC DIAGRAM – AUDIO Board – • See page 74 for IC Block Diagrams.

**Note on Schematic Diagram:**


- Voltages and waveforms are dc with respect to ground under no-signal conditions.
- no mark : MD, CD STOP

The components identified by mark \triangle or dotted line with mark \triangle are critical for safety.
Replace only with part number specified.


Les composants identifiés par une marque \triangle sont critiques pour la sécurité. Ne les remplacer que par une pièce portant le numéro spécifié.

- Waveforms
– MAIN Board –


① IC805 ⑩ (XOUT)




② IC805 ㉙ (FL_BK)




③ IC805 ㉗ (FL_CLK)











④ IC800 ⑩ (XOUT)



⑤ IC801 ㉙ (XOUT)




7-19. PRINTED WIRING BOARDS – CDM Section – • See page 51 for Circuit Boards Location.




There are a few cases that the part isn't mounted in model is printed on diagrams.

7-20. SCHEMATIC DIAGRAM – CDM Section – • See page 74 for IC Block Diagrams.



7-21. PRINTED WIRING BOARDS – PANEL Section – • See page 51 for Circuit Boards Location.

【DISPLAY BOARD】




(Page 58)

05

11
(11)SW BOARD
CN972


【HP BOARD】



(Page 65)


AUDIO BOARD
CN300

【SW BOARD】



There are a few cases that the part isn't mounted in model
is printed on diagrams.

7-22. SCHEMATIC DIAGRAM – PANEL Section –




Note on Schematic Diagram:


- Voltages and waveforms are dc with respect to ground under no-signal conditions.
- no mark : MD, CD STOP

7-23. PRINTED WIRING BOARD – LED Board – • See page 51 for Circuit Boards Location.

【LED BOARD】(COMPONENT SIDE)



【LED BOARD】(CONDUCTOR SIDE)




• Semiconductor Location

Ref. No.	Location
D901	A-1
D902	A-2
D903	A-4
D904	A-5
D905	A-6
D906	A-7
D907	A-9
D908	B-9
IC901	B-2
IC902	B-9
Q901	A-1

There are a few cases that the part isn't mounted in model
is printed on diagrams.

7-24. SCHEMATIC DIAGRAM – LED Board –




Note on Schematic Diagram:


- Voltages and waveforms are dc with respect to ground under no-signal conditions.
- no mark : MD, CD STOP

- IC Block Diagrams
- BD (MD) Board -


IC101 CXA2523AR



IC141 BH6511FS




IC151 CXD2662R




- MAIN Board -


IC400 LB1641




IC700 BA00AST-V5



IC701 LA5601




IC702 LA5643




- AUDIO Board -

IC300 μDA1350AH




IC301 μDA1360TS



- CLAMP MOTOR/LOAD MOTOR Boards -

IC701 M54641L (CLAMP MOTOR Board)
IC702 M54641L (LOAD MOTOR Board)



7-25. IC PIN FUNCTION DESCRIPTION

• BD (MD) BOARD IC101 CXA2523AR (RF AMP, FOCUS/TRACKING ERROR AMP)

Pin No.	Pin Name	I/O	Description
1	I	I	I-V converted RF signal I input from the optical pick-up block detector
2	J	I	I-V converted RF signal J input from the optical pick-up block detector
3	VC	O	Middle point voltage (+1.65V) generation output terminal
4 to 9	A to F	I	Signal input from the optical pick-up detector
10	PD	I	Light amount monitor input from the optical pick-up block laser diode
11	APC	O	Laser amplifier output terminal to the automatic power control circuit
12	APCREF	I	Reference voltage input for setting laser power from the CXD2662R (IC151)
13	GND	—	Ground terminal
14	TEMPI	I	Connected to the temperature sensor
15	TEMPR	O	Output terminal for a temperature sensor reference voltage
16	SWDT	I	Writing serial data input from the CXD2662R (IC151)
17	SCLK	I	Serial data transfer clock signal input from the CXD2662R (IC151)
18	XLAT	I	Serial data latch pulse signal input from the CXD2662R (IC151)
19	XSTBY	I	Standby signal input terminal “L”: standby (fixed at “H” in this set)
20	F0CNT	I	Center frequency control voltage input terminal of internal circuit (BPF22, BPF3T, EQ) input from the CXD2662R (IC151)
21	VREF	O	Reference voltage output terminal Not used (open)
22	EQADJ	I	Center frequency setting terminal for the internal circuit (EQ)
23	3TADJ	I	Center frequency setting terminal for the internal circuit (BPF3T)
24	VCC	—	Power supply terminal (+3.5V)
25	WBLADJ	I	Center frequency setting terminal for the internal circuit (BPF22)
26	TE	O	Tracking error signal output to the CXD2662R (IC151)
27	CSLED	I	Connected to the external capacitor for low-pass filter of the sled error signal
28	SE	O	Sled error signal output to the CXD2662R (IC151)
29	ADFM	O	FM signal output of the ADIP
30	ADIN	I	Receives a ADIP FM signal in AC coupling
31	ADAGC	I	Connected to the external capacitor for ADIP AGC
32	ADFG	O	ADIP duplex signal ($22.05\text{ kHz} \pm 1\text{ kHz}$) output to the CXD2662R (IC151)
33	AUX	O	Auxiliary signal (I_3 signal/temperature signal) output to the CXD2662R (IC151)
34	FE	O	Focus error signal output to the CXD2662R (IC151)
35	ABCD	O	Light amount signal (ABCD) output to the CXD2662R (IC151)
36	BOTM	O	Light amount signal (RF/ABCD) bottom hold output to the CXD2662R (IC151)
37	PEAK	O	Light amount signal (RF/ABCD) peak hold output to the CXD2662R (IC151)
38	RF	O	Playback EFM RF signal output to the CXD2662R (IC151)
39	RFAGC	I	Connected to the external capacitor for RF auto gain control circuit
40	AGCI	I	Receives a RF signal in AC coupling
41	COMPO	O	User comparator output terminal Not used (open)
42	COMPP	I	User comparator input terminal Not used (fixed at “L”)
43	ADD	I	Connected to the external capacitor for cutting the low band of the ADIP amplifier
44	OPO	O	User operational amplifier output terminal Not used (open)
45	OPN	I	User operational amplifier inversion input terminal Not used (fixed at “L”)
46	RFO	O	RF signal output terminal
47	MORFI	I	Receives a MO RF signal in AC coupling
48	MORFO	O	MO RF signal output terminal

- **BD (MD) BOARD IC151 CDX2662R
(DIGITAL SIGNAL PROCESSOR, DIGITAL SERVO PROCESSOR, EFM/ACIRC ENCODER/DECODER,
SHOCK PROOF MEMORY CONTROLLER, ATRAC ENCODER/DECODER)**

Pin No.	Pin Name	I/O	Description
1	MNT0 (FOK)	O	Focus OK signal output terminal “H” is output when focus is on (“L”: NG) Not used (open)
2	MNT1 (SHOCK)	O	Track jump detection signal output to the system controller (IC801)
3	MNT2 (XBUSY)	O	Busy monitor signal output to the system controller (IC801)
4	MMT3 (SLOCK)	O	Spindle servo lock status monitor signal output to the system controller (IC801)
5	SWDT	I	Writing serial data signal input from the system controller (IC801)
6	SCLK	I (S)	Serial data transfer clock signal input from the system controller (IC801)
7	XLAT	I (S)	Serial data latch pulse signal input from the system controller (IC801)
8	SRDT	O (3)	Reading serial data signal output to the system controller (IC801)
9	SENS	O (3)	Internal status (SENSE) output to the system controller (IC801)
10	<u>XRST</u>	I (S)	Reset signal input from the system controller (IC801) “L”: reset
11	SQSY	O	Subcode Q sync (SCOR) output to the system controller (IC801) “L” is output every 13.3 msec Almost all, “H” is output
12	DQSY	O	Digital In U-bit CD format subcode Q sync (SCOR) output to the system controller (IC801) “L” is output every 13.3 msec Almost all, “H” is output
13	RECP	I	Laser power selection signal input from the system controller (IC801) “L”: playback mode, “H”: recording mode
14	XINT	O	Interrupt status output to the system controller (IC801)
15	TX	O	Magnetic head on/off signal output to the over write head drive (IC181)
16	OSCI	I	System clock signal (90.3168 MHz) input terminal
17	OSCO	O	System clock signal (512Fs=90.3168 MHz) output terminal Not used (open)
18	XTSL	I	Input terminal for the system clock frequency setting “L”: 45.1584 MHz, “H”: 90.3168 MHz (fixed at “H” in this set)
19	DIN0	I	Digital audio signal input terminal when recording mode (for CD signal input)
20	DIN1	I	Digital audio signal input terminal when recording mode (for digital optical input)
21	DOUT	O	Digital audio signal output terminal when playback mode
22	DATAI	I	Recording data input from the A/D converter (IC301)
23	LRCKI	I	L/R sampling clock signal (44.1 kHz) input from the D/A converter (IC300), A/D converter (IC301)
24	XBCKI	I	Bit clock signal (2.8224 MHz) input from the D/A converter (IC300), A/D converter (IC301)
25	ADDT	I	Recording data input terminal Not used (fixed at “L”)
26	DADT	O	Playback data output terminal Not used (open)
27	LRCK	O	L/R sampling clock signal (44.1 kHz) output terminal Not used (open)
28	XBCK	O	Bit clock signal (2.8224 MHz) output terminal Not used (open)
29	FS256	O	Clock signal (11.2896 MHz) output terminal Not used (open)
30	DVDD	—	Power supply terminal (+3.3V) (digital system)
31 to 34	A03 to A00	O	Address signal output to the D-RAM (IC152)
35	A10	O	Address signal output to the D-RAM (IC152)
36 to 40	A04 to A08	O	Address signal output to the D-RAM (IC152)
41	A11	O	Address signal output to the external D-RAM Not used (open)
42	DVSS	—	Ground terminal (digital system)
43	<u>XOE</u>	O	Output enable signal output to the D-RAM (IC152) “L” active

* I (S) stands for schmitt input, I (A) for analog input, O (3) for 3-state output, and O (A) for analog output in the column I/O.

Pin No.	Pin Name	I/O	Description
44	XCAS	O	Column address strobe signal output to the D-RAM (IC152) “L” active
45	A09	O	Address signal output to the D-RAM (IC152)
46	XRAS	O	Row address strobe signal output to the D-RAM (IC152) “L” active
47	XWE	O	Write enable signal output to the D-RAM (IC152) “L” active
48	D1	I/O	Two-way data bus with the D-RAM (IC152)
49	D0	I/O	
50	D2	I/O	
51	D3	I/O	
52	MVCI	I (S)	Digital in PLL oscillation input from the external VCO Not used (fixed at “L”)
53	ASYO	O	Playback EFM full-swing output terminal
54	ASYI	I (A)	Playback EFM asymmetry comparator voltage input terminal
55	AVDD	—	Power supply terminal (+3.5V) (analog system)
56	BIAS	I (A)	Playback EFM asymmetry circuit constant current input terminal
57	RFI	I (A)	Playback EFM RF signal input from the CXA2523AR (IC101)
58	AVSS	—	Ground terminal (analog system)
59	PCO	O (3)	Phase comparison output for master clock of the recording/playback EFM master PLL
60	FILI	I (A)	Filter input for master clock of the recording/playback master PLL
61	FILO	O (A)	Filter output for master clock of the recording/playback master PLL
62	CLTV	I (A)	Internal VCO control voltage input of the recording/playback master PLL
63	PEAK	I (A)	Light amount signal (RF/ABCD) peak hold input from the CXA2523AR (IC101)
64	BOTM	I (A)	Light amount signal (RF/ABCD) bottom hold input from the CXA2523AR (IC101)
65	ABCD	I (A)	Light amount signal (ABCD) input from the CXA2523AR (IC101)
66	FE	I (A)	Focus error signal input from the CXA2523AR (IC101)
67	AUX1	I (A)	Auxiliary signal (I ₃ signal/temperature signal) input from the CXA2523AR (IC101)
68	VC	I (A)	Middle point voltage (+1.65V) input from the CXA2523AR (IC101)
69	ADIO	O (A)	Monitor output of the A/D converter input signal Not used (open)
70	AVDD	—	Power supply terminal (+3.5V) (analog system)
71	ADRT	I (A)	A/D converter operational range upper limit voltage input terminal (fixed at “H” in this set)
72	ADRB	I (A)	A/D converter operational range lower limit voltage input terminal (fixed at “L” in this set)
73	AVSS	—	Ground terminal (analog system)
74	SE	I (A)	Sled error signal input from the CXA2523AR (IC101)
75	TE	I (A)	Tracking error signal input from the CXA2523AR (IC101)
76	DCHG	I (A)	Connected to the +3.5V power supply
77	TEST4	I	Input terminal for the test Not used (fixed at “H”)
78	ADFG	I (S)	ADIP duplex FM signal (22.05 kHz ± 1 kHz) input from the CXA2523AR (IC101)
79	F0CNT	O	Filter f0 control signal output to the CXA2523AR (IC101)
80	XLRF	O	Serial data latch pulse signal output to the CXA2523AR (IC101)
81	CKRF	O	Serial data transfer clock signal output to the CXA2523AR (IC101)
82	DTRF	O	Writing serial data output to the CXA2523AR (IC101)
83	APCREF	O	Control signal output to the reference voltage generator circuit for the laser automatic power control
84	TEST0	O	Input terminal for the test Not used (open)
85	TRDR	O	Tracking servo drive PWM signal (−) output to the BH6511FS (IC141)
86	TFDR	O	Tracking servo drive PWM signal (+) output to the BH6511FS (IC141)
87	DVDD	—	Power supply terminal (+3.5V) (digital system)
88	FFDR	O	Focus servo drive PWM signal (+) output to the BH6511FS (IC141)

* I (S) stands for schmitt input, I (A) for analog input, O (3) for 3-state output, and O (A) for analog output in the column I/O.

Pin No.	Pin Name	I/O	Description
89	FRDR	O	Focus servo drive PWM signal (-) output to the BH6511FS (IC141)
90	FS4	O	Clock signal (176.4 kHz) output terminal (X'tal system) Not used (open)
91	SRDR	O	Sled servo drive PWM signal (-) output to the BH6511FS (IC141)
92	SFDR	O	Sled servo drive PWM signal (+) output to the BH6511FS (IC141)
93	SPRD	O	Spindle servo drive PWM signal (-) output to the BH6511FS (IC141)
94	SPFD	O	Spindle servo drive PWM signal (+) output to the BH6511FS (IC141)
95	FGIN	I (S)	Input terminal for the test (fixed at "L")
96	TEST1	I	
97	TEST2	I	
98	TEST3	I	
99	DVSS	—	Ground terminal (digital system)
100	EFMO	O	EFM signal output terminal when recording mode

* I (S) stands for schmitt input, I (A) for analog input, O (3) for 3-state output, and O (A) for analog output in the column I/O.

• MAIN BOARD IC800 M30624MGA-321FP (CD MECHANISM CONTROLLER)

Pin No.	Pin Name	I/O	Description
1	CD DATA	O	Serial data output to the CD block
2	CD CLK	O	Serial data transfer clock signal output to the CD block
3	XLT	O	Serial data latch pulse signal output to the CD block
4	SIRCS	I	Remote control signal input from the remote control receiver (IC901)
5	NC	O	Not used (open)
6	SQ DATA	I	Subcode Q data input from the CD block
7	<u>SQCLK</u>	O	Subcode Q data reading clock signal output to the CD block “L”: active
8	BYTE	I	External data bus line byte selection signal input “L”: 16 bit, “H”: 8 bit (fixed at “L”)
9	CNVSS	—	Ground terminal
10	HOLD	O	Laser power control signal output terminal Not used (open)
11	SENS	I	Internal status (SENSE) input from the CD block
12	XRESET	I	System reset signal input from the reset signal generator (IC701) “L”: reset For several hundreds msec. after the power supply rises, “L” is input, then it changes to “H”
13	XOUT	O	Main system clock output terminal (10 MHz)
14	VSS	—	Ground terminal
15	XIN	I	Main system clock input terminal (10 MHz)
16	VCC	—	Power supply terminal (+5V)
17	XNMI	I	Non-maskable interrupt input terminal “L” active (fixed at “H” in this set)
18	<u>PDOWN</u>	I	Power down detection signal input terminal “L”: power down, normally: “H”
19	SCOR	I	Subcode sync (S0+S1) detection signal input from the CD block “H”: active
20	KEY CLK	I	Serial clock signal input from the external keyboard
21	KEY DATA	I	Serial data input from the external keyboard
22	KEY MUTE	O	Serial clock control signal output to the external keyboard
23	PCLK	O	Not used (open)
24	<u>LINE MUTE</u>	O	Audio line muting on/off control signal output “L”: line muting on
25	LDON	O	Laser diode on/off control signal output to the automatic power control circuit “H”: laser on
26	MD RST	O	Reset signal output to the system controller (IC801)
27	DAC MUTE	O	Muting control signal output to the D/A converter (IC300)
28	EXT ON	O	Not used (open)
29	IICCLK	I/O	Communication data reading clock signal output or transfer clock signal input with the system controller (IC801)
30	IICDATA	I/O	Communication data bus with the system controller (IC801)
31	TXD1	O	Not used (open)
32	RXD1	O	Not used (open)
33	CLK1	O	Not used (open)
34	RTS1	O	Not used (open)
35	FLWITE	O	Serial data output to the display controller (IC805)
36	FLRD	I	Serial data input from the display controller (IC805)
37	FLCLK	O	Serial data transfer clock signal output to the display controller (IC805)
38	XFLCS	O	Serial data transfer request signal output to the display controller (IC805)
39	XFLREQ	I	Serial data transfer request signal input from the display controller (IC805)
40	XFLBUSY	I	Serial data transfer permission signal input from the display controller (IC805)
41	NC	O	Not used (fixed at “L”)
42	1-4	O	Disc speed selection (normal/4 speed) signal output to the CD block
43	1-2	O	Disc speed selection (normal/2 speed) signal output to the CD block
44	8-12	O	Disc size selection signal output to the CD block

Pin No.	Pin Name	I/O	Description
45	SPDL MUTE	O	Spindle motor muting control signal output to the CD block
46 to 51	NC	O	Not used (open)
52	LED RECMODE	O	LED (D951 MDLP) on/off control signal output
53	LED DATA	O	LED control serial data output to the LED driver (IC902)
54	LED CLK	O	LED control serial data transfer clock signal output to the LED driver (IC902)
55	XLED STB	O	LED control strobe signal output to the LED driver (IC902)
56 to 60	NC	O	Not used (open)
61	XDISP RST	O	Reset signal output to the display controller (IC805)
62	VCC	—	Power supply terminal (+5V)
63	STB	O	Strobe signal output to the power supply circuit “L”: standby mode, “H”: power on
64	VSS	—	Ground terminal
65	JOGCD0	I	Jog dial pulse input from the rotary encoder (S971 $\triangleleft\triangleleft$ AMS $\triangleright\triangleright$ (CD)) B phase input
66	JOGCD1	I	Jog dial pulse input from the rotary encoder (S971 $\triangleleft\triangleleft$ AMS $\triangleright\triangleright$ (CD)) A phase input
67	JOGMD0	I	Jog dial pulse input from the rotary encoder (S981 $\triangleleft\triangleleft$ AMS $\triangleright\triangleright$ (MD)) B phase input
68	JOGMD1	I	Jog dial pulse input from the rotary encoder (S981 $\triangleleft\triangleleft$ AMS $\triangleright\triangleright$ (MD)) A phase input
69 to 71	NC	O	Not used (open)
72	SPDIF CUT	O	Not used (open)
73	<u>LOD POS</u>	O	CD loading motor (M702) control signal output to the motor driver IC (IC702) “L” active *1
74	<u>LOD NEG</u>	O	CD loading motor (M702) control signal output to the motor driver IC (IC702) “L” active *1
75	<u>OUT SW</u>	I	Detection input from the tray open/close detect switch (S708) on the CD mechanism block “L”: when tray is open, “H”: when tray is close
76	<u>MIDOUT SW</u>	I	Detection input from the mid out detect switch (S701) on the CD mechanism block “L”: when tray is going to open or close
77	<u>IN SW</u>	I	Detection input from the tray open/close detect switch (S704) on the CD mechanism block “L”: when tray is close, “H”: when tray is open
78	<u>MIDIN SW</u>	I	Detection input from the mid in detect switch (S703) on the CD mechanism block “L”: when sub tray move between tray and stocker
79	<u>CLP POS</u>	O	CD elevator up/down motor (M701) control signal output to the motor driver IC (IC701) “L” active *2
80	<u>CLP NEG</u>	O	CD elevator up/down motor (M701) control signal output to the motor driver IC (IC701) “L” active *2
81	<u>INIT SW</u>	I	Detection input from the INIT detect switch (S705) on the CD mechanism block “L”: when elevator down to bottom, others: “H”
82	COUNT SW	I	Detection input from the count detect switch (S706) on the CD mechanism block “L”: when elevator up/down each sub tray stock position
83	E3	I	Detection input from the disc tray address detect rotary encoder (S707) on the CD mechanism block
84	E1	I	
85	E2	I	

*1 CD loading motor (M702) control


Terminal \ Mode	Loading	Eject	Stop	Brake
<u>LOD NEG</u> (pin 74)	“L”	“H”	“H”	“L”
<u>LOD POS</u> (pin 73)	“H”	“L”	“H”	“L”

*2 CD elevator up/down motor (M701) control

Terminal \ Mode	Elevator Up	Elevator Down	Stop	Brake
<u>CLP NEG</u> (pin 80)	“L”	“H”	“H”	“L”
<u>CLP POS</u> (pin 79)	“H”	“L”	“H”	“L”

Pin No.	Pin Name	I/O	Description
86	DSENS	I	Detection input from the disc in detect sensor (D704 and Q703) on the CD mechanism block “H”: disc detected
87	PRTC SW	I	Detection input from the CD tray door open/close detect switch (S702) “L”: when CD lid is open, “H”: when CD lid is close
88	SOFT TEST	O	Not used (open)
89	KEY3	I	Key input terminal (A/D input) S991 to S997 (INPUT, TIME/CHAR MD, ■ (MD), □ (MD), ▷ (MD), CLEAR (MD), TIME CD keys input)
90	KEY2	I	Key input terminal (A/D input) S982 to S990 (MENU/NO, YES, ◀◀ (MD), ▶▶ (MD), REC ●, PLAY MODE MD, SLEEP, REC MODE, ▲ EJECT keys input)
91	KEY1	I	Key input terminal (A/D input) S771 to S780 (◀◀ AMS ▷▷ (CD), PLAY MODE CD, DISPLAY, ■ (CD), □ (CD), ▷ (CD), ▶▶ (CD), ▲ (CD), REC-IT, CLEAR (CD) keys input)
92	KEY0	I	Key input terminal (A/D input) S901 to S913 (DISC5, ▲ (CD4), DISC4, ▲ (CD3), DISC3, ▲ (CD2), DISC2, ▲ (CD1), DISC1, ▲ (CD1), CD SYNCHRO NORMAL, CD SYNCHRO HIGH, ▲ (CD5) keys input)
93	SPEC IN	I	Destination setting terminal (fixed at “H” in this set)
94	LEVEL L	I	L-ch level input from the system controller (IC801)
95	LEVEL R	I	R-ch level input from the system controller (IC801)
96	AVSS	—	Ground terminal
97	TE	I	Tracking error signal input terminal Not used (open)
98	VREF	I	Reference voltage (+5V) input terminal (for A/D converter)
99	AVCC	—	Power supply terminal (+5V) (for analog system)
100	XRST	O	Reset signal output to the CD block

• MAIN BOARD IC801 M30805SGP (SYSTEM CONTROLLER (MD MECHANISM CONTROLLER))

Pin No.	Pin Name	I/O	Description
1, 2	NC	O	Not used (open)
3	LEVEL L	O	L-ch level output to the CD mechanism controller (IC800)
4	LEVEL R	O	R-ch level output to the CD mechanism controller (IC800)
5 to 7	NC	O	Not used (open)
8	DAC MUTE	O	Muting control signal output to the D/A converter (IC300) “L”: muting
9	DARESET	O	Reset signal output to the D/A converter (IC300), A/D converter (IC301) “H”: reset
10	SLICER SEL	O	IEC958 input selection signal output to the D/A converter (IC300) “L”: MD, “H”: CD
11	LDLOW	O	Loading motor drive voltage control signal output for the loading motor driver (IC400) “H” active
12	LDIN	O	Motor control signal output to the loading motor driver (IC400) “L” active *1
13	LDOUT	O	Motor control signal output to the loading motor driver (IC400) “L” active *1
14	MOD	O	Laser modulation select signal output to the HF module switch circuit Stop: “L”, Playback power: “H”, Recording power: 
15	BYTE	I	External data bus line byte selection signal input “L”: 16 bit, “H”: 8 bit (fixed at “L”)
16	CNVSS	—	Ground terminal
17	XCIN	I	Sub system clock input terminal Not used (open)
18	XCOUT	O	Sub system clock output terminal Not used (open)
19	RESET	I	System reset signal input “L”: reset For several hundreds msec. after the power supply rises, “L” is input, then it changes to “H”
20	XOUT	O	Main system clock output terminal (10 MHz)
21	VSS	—	Ground terminal
22	XIN	I	Main system clock input terminal (10 MHz)
23	VCC	—	Power supply terminal (+3.5V)
24	NMI	I	Non-maskable interrupt input terminal “L” active (fixed at “H” in this set)
25	DQSY	I	Digital In U-bit CD format subcode Q sync (SCOR) input from the CXD2662R (IC151) “L” is input every 13.3 msec Almost all, “H” is input
26	PDOWN	I	Power down detection signal input terminal “L”: power down, normally: “H”
27	SQSY	I	Subcode Q sync (SCOR) input from the CXD2662R (IC151) “L” is input every 13.3 msec Almost all, “H” is input
28	NC	O	Not used (open)
29	LDON	O	Laser diode on/off control signal output to the automatic power control circuit “H”: laser on
30	LIMIT-IN	I	Detection input from the sled limit-in detect switch (S101) The optical pick-up is inner position when “L”

*1 Loading motor (M103) control

Mode Terminal	LOADING	EJECT	BRAKE	RUN IDLE
LDIN (pin ⑫)	“L”	“H”	“L”	“H”
LDOUT (pin ⑬)	“H”	“L”	“L”	“H”

Pin No.	Pin Name	I/O	Description
31	NC	O	Not used (open)
32	XINT	I	Interrupt status input from the CXD2662R (IC151)
33	NC	O	Not used (open)
34	XLET	O	Not used (open)
35	WRPWR	O	Laser power select signal output to the CXD2662R (IC151) and HF module switch circuit “L”: playback mode, “H”: recording mode
36	I2CCLK	I/O	Communication data reading clock signal output or transfer clock signal input with the CD mechanism controller (IC800)
37	I2CDAT	I/O	Communication data bus with the CD mechanism controller (IC800)
38	SWDT	O	Writing data output to the CXD2662R (IC151)
39	VCC	—	Power supply terminal (+3.5V)
40	SRDT	I	Reading data input from the CXD2662R (IC151)
41	VSS	—	Ground terminal
42	SCLK	O	Serial clock signal output to the CXD2662R (IC151)
43	REC-SW	I	Detection input from the recording position detect switch (S105) “L” active
44	TX0	O	Serial data output terminal Not used (fixed at “L”)
45	RX0	I	Serial data input terminal Not used (fixed at “H”)
46	CLK0	O	Serial clock signal output terminal Not used (open)
47	<u>DIG-RST</u>	O	Reset signal output to the CXD2662R (IC151) and BH6511FS (IC152) “L”: reset
48	SENS	I	Internal status (SENSE) input from the CXD2662R (IC151)
49	PLAY-SW	I	Detection input from the playback position detect switch (S104) “L” active
50	XLATCH	O	Serial data latch pulse signal output to the CXD2662R (IC151)
51	OUT-SW	I	Detection input from the loading-out detect switch (S103) “L” at a load-out position, others: “H”
52	NC	O	Not used (fixed at “H”)
53	NC	O	Not used (open)
54	NC	O	Not used (fixed at “H”)
55	NC	O	Not used (open)
56	MNT2 (XBUSY)	I	Busy signal input from the CXD2662R (IC151)
57	VSS	—	Ground terminal
58	MNT1 (SHOCK)	I	Track jump detection signal input from the CXD2662R (IC151)
59	VCC	—	Power supply terminal (+3.5V)
60	EEP-WP	O	Writing protect signal output to the EEPROM (IC195)
61	SDA	I/O	Two-way data bus with the EEPROM (IC195)
62	NC	O	Not used (open)
63	OE	O	Data reading strobe signal output to the flash ROM (IC802)
64	<u>BHE</u>	O	Not used (open)
65	<u>WE</u>	O	Writing enable signal output to the flash ROM (IC802) “L” active
66	SCL	O	Clock signal output to the EEPROM (IC195)
67	REFLECT SW	I	Detection input from the disc reflection rate detect switch (S102-1) “L”: high reflection rate disc, “H”: low reflection rate disc
68	PROTECT SW	I	Rec-proof claw detect input from the protect detect switch (S102-2) “H”: write protect
69	<u>CS0</u>	O	Chip select signal output to the flash ROM (IC802)
70	<u>CS1</u>	O	Not used (open)
71.72	NC	O	Not used (open)
73	A19	O	Address signal output to the flash ROM (IC802)

Pin No.	Pin Name	I/O	Description
74	VCC	—	Power supply terminal (+3.5V)
75	A18	O	Address signal output to the flash ROM (IC802)
76	VSS	—	Ground terminal
77 to 85	A17 to A9	O	Address signal output to the flash ROM (IC802)
86	SEL3	I	Not used (open)
87	SEL2	I	Model setting input terminal (fixed at "H" in this set)
88, 89	SEL1, SEL0	I	Destination setting terminal (fixed at "L" in this set)
90	<u>WP</u>	O	Writing protect signal output to the flash ROM (IC802)
91	VCC	—	Power supply terminal (+3.5V)
92	A8	O	Address signal output to the flash ROM (IC802)
93	VSS	—	Ground terminal
94 to 101	A7 to A0	O	Address signal output to the flash ROM (IC802)
102 to 113	D15 to D4	I/O	Two-way data bus with the flash ROM (IC802)
114	CLIP SEL	O	Not used (open)
115	I2CBUSY	I/O	Not used (open)
116	SPDIF LOCK	I	Lock signal input from the D/A converter (IC300)
117	LINE MUTE	O	Audio line muting on/off control signal output
118	ADRESET	O	Not used (open)
119 to 122	D3 to D0	I/O	Two-way data bus with the flash ROM (IC802)
123	SPDIF MUTE	O	MD/CD digital input control signal output to the MD/CD selector (IC307)
124 to 129	NC	O	Not used (open)
130	VSS	—	Ground terminal
131	NC	O	Not used (open)
132	VCC	—	Power supply terminal (+3.5V)
133	IOP	I	Optical pick-up voltage input from the automatic power control circuit
134 to 139	NC	O	Not used (open)
140	AVSS	—	Ground terminal (for analog system)
141	NC	O	Not used (open)
142	VREF	I	Reference voltage (+3.5V) input terminal (for A/D converter)
143	AVCC	—	Power supply terminal (+3.5V) (for analog system)
144	NC	O	Not used (open)

- MAIN BOARD IC805 M30622MA-1BOFP (DISPLAY CONTROLLER)

Pin No.	Pin Name	I/O	Description
1 to 7	NC	O	Not used (open)
8	BYTE	I	External data bus line byte selection signal input “L”: 16 bit, “H”: 8 bit (fixed at “L”)
9	CNVSS	—	Ground terminal
10. 11	NC	O	Not used (open)
12	XRESET	I	System reset signal input from the CD mechanism controller (IC800) “L”: reset For several hundreds msec. after the power supply rises, “L” is input, then it changes to “H”
13	XOUT	O	Main system clock output terminal (10 MHz)
14	GND	—	Ground terminal
15	XIN	I	Main system clock input terminal (10 MHz)
16	VCC	—	Power supply terminal (+5V)
17	NMI	I	Non-maskable interrupt input terminal “L” active (fixed at “H” in this set)
18. 19	NC	O	Not used (open)
20	CMD CS	I	Communication INT signal input from the CD mechanism controller (IC800)
21 to 24	NC	O	Not used (open)
25	FLBK	O	Blanking signal output to the fluorescent indicator tube (FL900)
26	CMD REQ	O	Serial data transfer request signal output to the CD mechanism controller (IC800)
27	CMD BUSY	O	Serial data transfer permission signal output to the CD mechanism controller (IC800)
28	CMD CLK	I	Serial data transfer clock signal input from the CD mechanism controller (IC800)
29	CMD RXD	I	Serial data input from the CD mechanism controller (IC800)
30	CMD TXD	O	Serial data output to the CD mechanism controller (IC800)
31	TXD1	O	Not used (open)
32	RXD1	O	Not used (open)
33	CLK1	O	Not used (open)
34	RTS1	O	Not used (open)
35	FL TXD	O	Display serial data output to the fluorescent indicator tube (FL900)
36	NC	O	Not used (fixed at “L”)
37	FL CLK	O	Display serial data transfer clock signal output to the fluorescent indicator tube (FL900)
38	FL LAT	O	Display latch signal output to the fluorescent indicator tube (FL900)
39	RDY	I	Not used (fixed at “H”)
40	ALE	O	Not used (open)
41	HOLD	I	Not used (open)
42	HPLDA	O	Not used (open)
43	BCLK	O	Not used (open)
44	RD	O	Not used (open)
45	BHE	O	Not used (open)
46	WR	O	Not used (fixed at “L”)
47 to 49	P47 to P45	O	Not used (fixed at “L”)
50	FNT CE	O	Not used (open)
51	OPEN	O	Not used (fixed at “H”)
52 to 61	A18 to A9	O	Not used (open)
62	VCC	—	Power supply terminal (+5V)
63	A8	O	Not used (open)
64	VSS	—	Ground terminal
65 to 72	A7 to A0	O	Not used (open)
73 to 80	NC	O	Not used (open)

Pin No.	Pin Name	I/O	Description
81 to 88	D7 to D0	I/O	Not used (open)
89	LED POWER	O	Not used (open)
90	LED FILTER	O	Not used (open)
91	LED MDLONG	O	Not used (open)
92	NC	O	Not used (open)
93	MODEL SW	I	Model setting input terminal (fixed at "H" in this set)
94	DEST SW	I	Destination setting input terminal (fixed at "L" in this set)
95	NC	O	Not used (open)
96	AVSS	—	Ground terminal (for A/D conversion)
97	NC	O	Not used (open)
98	VREF	I	Reference voltage (+5V) input terminal
99	AVCC	—	Power supply terminal (+5V) (for A/D conversion)
100	NC	O	Not used (open)

SECTION 8 EXPLODED VIEWS

NOTE:


- -XX and -X mean standardized parts, so they may have some difference from the original one.
- Color Indication of Appearance Parts
Example:
KNOB, BALANCE (WHITE) . . . (RED)
↑ ↑
Parts Color Cabinet's Color

- Items marked “*” are not stocked since they are seldom required for routine service. Some delay should be anticipated when ordering these items.
- The mechanical parts with no reference number in the exploded views are not supplied.
- Hardware (# mark) list and accessories and packing materials are given in the last of the electrical parts list.

The components identified by mark \triangle or dotted line with mark \triangle are critical for safety.
Replace only with part number specified.


Les composants identifiés par une marque \triangle sont critiques pour la sécurité.
Ne les remplacer que par une pièce portant le numéro spécifié.

(1) CASE SECTION




Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
1	A-4672-565-A	KNOB (AMS) ASSY		6	4-228-757-01	SPRING, TORSION	
3	3-354-981-01	SPRING (SUS), RING		7	X-4947-390-3	FOOT ASSY (F50150S)	
4	4-950-189-01	KNOB (A) (VOL)		8	4-210-291-01	SCREW (CASE 3 TP2)	
5	4-228-736-01	LID (CD TRAY)		* 9	4-978-492-11	CASE	

(2) FRONT PANEL SECTION



Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
51	X-4952-944-1	PANEL ASSY, FRONT (US, Canadian)		61	4-228-741-01	BUTTON (SYNC)	
51	X-4952-968-1	PANEL ASSY, FRONT (AEP, UK)		62	4-230-410-01	SPRING (LID), TENSION	
52	4-951-620-01	SCREW (2.6X8), +BVTP		63	4-228-761-01	LID (CARTRIDGE)	
53	4-996-683-21	BUTTON (POWER)		64	4-228-740-01	BUTTON (MD-PLAY)	
54	4-228-737-01	WINDOW, REMOCON RAY CATCHER		65	4-228-742-01	BUTTON (MODE)	
55	1-677-779-11	HP BOARD		66	A-4725-188-A	DISPLAY BOARD, COMPLETE (US, Canadian)	
56	X-4952-966-1	BUTTON (CD) ASSY		66	A-4725-197-A	DISPLAY BOARD, COMPLETE (AEP, UK)	
57	4-228-739-01	BUTTON (CD-PLAY)		68	A-4725-195-A	LED BOARD, COMPLETE (US, Canadian)	
58	1-677-776-11	SW BOARD		68	A-4725-204-A	LED BOARD, COMPLETE (AEP, UK)	
60	4-228-743-01	BUTTON (DIA. 4)		71	4-981-435-11	RING (DIA. 50), ORNAMENTAL (AEP, UK)	

(3) CHASSIS SECTION




The components identified by mark \triangle or dotted line with mark \triangle are critical for safety.
Replace only with part number specified.

Les composants identifiés par une marque \triangle sont critiques pour la sécurité.
Ne les remplacer que par une pièce portant le numéro spécifié.


Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
101	1-773-048-11	WIRE (FLAT TYPE) (17 CORE)		109	1-783-531-31	CORD, POWER (US, Canadian)	
102	1-791-114-11	WIRE (FLAT TYPE) (21 CORE)		112	1-792-820-11	WIRE (FLAT TYPE) (19 CORE)	
103	1-792-819-11	WIRE (FLAT TYPE) (19 CORE)		113	4-228-754-11	PANEL, BACK (US)	
104	A-4725-193-A	AUDIO BOARD, COMPLETE (US, Canadian)		113	4-228-754-21	PANEL, BACK (Canadian)	
104	A-4725-202-A	AUDIO BOARD, COMPLETE (AEP, UK)		113	4-228-754-31	PANEL, BACK (AEP, UK)	
105	1-792-817-11	WIRE (FLAT TYPE) (17 CORE)		114	4-966-267-12	BUSHING (FBS001), CORD	
106	1-792-812-11	WIRE (FLAT TYPE) (27 CORE)		115	1-792-816-11	WIRE (FLAT TYPE) (9 CORE)	
107	A-4725-191-A	MAIN BOARD, COMPLETE (US, Canadian)		116	4-228-689-01	INSULATOR	
107	A-4725-200-A	MAIN BOARD, COMPLETE (AEP, UK)		117	1-569-972-21	SOCKET, SHORT 2P	
108	3-703-249-01	SCREW, S TIGHT, +PTTWH 3X6		118	4-228-643-01	SCREW (+BVTWH M3), STEP	
\triangle 109	1-575-651-21	CORD, POWER (AEP, UK)					

**(4) MD MECHANISM DECK SECTION-1
(MDM-7X2A)**




Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
* 301	4-996-267-01	BASE (BU-D)		311	4-227-012-01	SPRING (HOLDER), TENSION	
302	4-908-618-21	SCREW (+BTP) (2X6)		312	4-227-019-02	PLATE (HOLDER), RETAINER	
303	4-227-007-01	GEAR (SB)		313	4-227-013-01	SPRING (EJ), TENSION	
304	4-227-025-01	BELT (LOADING)		314	4-226-995-01	SLIDER (EJ)	
305	3-372-761-01	SCREW (M1.7), TAPPING		315	4-226-996-01	LIMITER (EJ)	
306	4-227-002-01	GEAR, PULLEY		316	4-226-997-01	SLIDER	
307	4-226-999-01	LEVER (HEAD)		317	4-226-998-01	LEVER (CHG)	
308	X-4952-665-1	SPRING (SHT) ASSY, LEAF		318	4-227-006-01	GEAR (SA)	
309	4-228-923-01	LOCK (HOLDER)		319	A-4672-973-D	HOLDER ASSY	
310	4-229-533-02	SPRING (STOPPER), TORSION		320	4-226-994-01	GUIDE (L)	

(5) MD MECHANISM DECK SECTION-2
(MDM-7X2A)




Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
351	A-4725-056-A	BD (MD) BOARD, COMPLETE		363	4-226-990-01	BASE (BU-A)	
352	4-908-618-21	SCREW (+BTP) (2X6)		364	4-230-716-01	SPRING (SPDL), TORSION	
353	3-372-761-01	SCREW (M1.7), TAPPING		365	4-227-004-01	GEAR (LC)	
354	4-226-993-01	RACK		366	4-227-005-01	GEAR (LD)	
355	4-227-014-01	SPRING (RACK), COMPRESSION		367	4-227-008-01	GEAR (SC)	
356	4-226-992-01	BASE, SL		368	4-227-009-01	GEAR (SD)	
357	1-678-514-11	FLEXIBLE BOARD		HR901	1-500-670-11	HEAD, OVER WRITE	
\triangle 358	A-4672-976-A	OPTICAL PICK-UP KMS-262A/J1N		M101	A-4735-029-A	MOTOR ASSY, SPINDLE (for MD)	
359	4-988-560-01	SCREW (+P 1.7X6)		M102	A-4672-900-A	MOTOR ASSY, SLED (for MD)	
360	4-996-265-01	SHAFT, MAIN		M103	A-4672-975-A	MOTOR ASSY, LOADING (for MD)	
361	4-226-989-01	CHASSIS		S102	1-771-957-11	SWITCH, PUSH (2 KEY) (REFLECT RATE DETECT, PROTECT DETECT)	
362	4-211-036-01	SCREW (1.7X2.5), +PWH					

**(6) CD MECHANISM DECK SECTION-1
(CDM53G-21BD53)**



Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
501	4-951-620-41	SCREW (2.6), +BVTP		* 516	4-214-129-01	COVER	
* 502	1-671-508-12	LOAD MOTOR BOARD		517	4-211-235-01	BELT (COMMUNICATION)	
503	4-211-215-01	GEAR (EJECT)		518	4-211-236-01	BELT (LOADING)	
* 504	1-671-502-12	INIT/COUNT SW BOARD		519	4-211-231-01	PULLEY (MODE)	
* 505	1-671-504-12	SENSOR BOARD		520	4-211-214-01	PULLEY (LD)	
506	4-212-676-03	SPRING (LID), TORSIONOR		521	4-211-227-01	GEAR (LD DECELERATION)	
507	4-212-674-11	LID (DISC)		522	4-211-228-01	LEVER (GOOSENECK)	
508	4-985-672-01	SCREW (+PTPWH M2.6), FLOATING		523	4-214-130-02	GEAR (TRAY)	
509	A-4672-907-A	FITTING BASE (GUIDE) ASSY		* 524	1-671-506-12	CONNECTOR BOARD	
* 510	1-671-503-12	OUT SW BOARD		525	3-341-549-01	SCREW(2.6X12)(DIA.7.5), +PTP WH	
* 511	1-671-789-12	SENSOR 2 BOARD		526	X-4952-916-1	PULLEY (FK) ASSY, CHUCKING	
512	4-964-461-02	HOLDER (SENSOR)		527	4-228-414-01	BRACKET (YOKE)	
* 514	1-671-505-12	IN SW BOARD		528	4-227-513-01	PULLEY (4SB)	
515	A-4672-857-A	BASE ASSY, FITTING		M702	X-4950-342-1	MOTOR (LOADING) ASSY (for CD)	

(7) CD MECHANISM DECK SECTION-2
(CDM53G-21BD53)



Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
550	4-957-577-11	SCREW PTP WH (2.6X8) (DIA. 10)		573	4-211-233-01	SLIDER (SELECTION)	
552	4-230-386-01	INSULATOR (BU21)		574	4-211-230-01	GEAR (CHUCKING)	
553	4-890-173-00	WASHER		575	4-211-245-01	SPRING, COMPRESSION	
554	4-211-212-51	TRAY (SUB)		* 576	1-671-507-12	CLAMP MOTOR BOARD	
555	4-999-541-01	COLLAR (DAMPER)		577	4-211-221-01	GEAR (LD MOVABLE)	
559	X-4952-814-1	HOLDER (BU21) ASSY		578	4-211-217-02	GEAR (SELECTION)	
560	4-211-244-01	SCREW, STEP		579	4-211-242-01	SHAFT (SELECTION GEAR)	
561	4-211-223-01	SLIDER (U/D)		580	4-211-240-01	GEAR (LD DECELERATION B)	
562	4-933-134-01	SCREW (+PTPWH M2.6X6)		581	4-211-216-01	GEAR (RELAY)	
563	4-221-504-01	BASE (STOCKER), FITTING		582	4-211-241-01	LEVER (SELECTION)	
564	4-211-211-01	STOCKER (R)		583	4-216-879-01	SPRING (GEAR A), COMPRESSION	
565	4-211-210-01	STOCKER (L)		584	3-701-446-21	WASHER, 8	
566	4-211-215-01	GEAR (EJECT)		585	4-211-218-01	GEAR (GEAR A)	
567	4-211-232-01	GEAR (MODE DECELERATION)		586	4-211-220-01	GEAR (U/D SLIDER)	
568	4-211-214-01	PULLEY (LD)		587	4-211-219-01	GEAR (GEAR B)	
569	4-951-620-41	SCREW (2.6), +BVTP		589	4-230-387-01	SPRING, CONE COIL	
570	4-211-237-01	BELT (MODE)	Δ	590	A-4677-295-A	BU-21BD53	
571	4-212-677-01	SLIDER (SHUTTER)		M701	X-4950-341-1	MOTOR (CLAMP) ASSY (for CD)	
572	4-212-678-01	SPRING (SHUTTER), TENSION		S707	1-418-045-11	ENCODER, ROTARY	

(DISC TRAY ADDRESSDETECT)

DISPLAY	HP	IN SW	INIT/COUNT SW	LED
---------	----	-------	---------------	-----

Ref. No.	Part No.	Description	Remark	Ref. No.	Part No.	Description	Remark
S993	1-762-875-21	SWITCH, KEYBOARD (■ (MD))		A-4725-195-A		LED BOARD, COMPLETE (US, Canadian)	
S994	1-762-875-21	SWITCH, KEYBOARD (■ (MD))		A-4725-204-A		LED BOARD, COMPLETE (AEP, UK)	
S995	1-762-875-21	SWITCH, KEYBOARD (▷ (MD))				*****	
S996	1-762-875-21	SWITCH, KEYBOARD (CLEAR MD)		*	3-362-478-01	HOLDER (T), LED	
S997	1-762-875-21	SWITCH, KEYBOARD (TIME, CD)				< CAPACITOR >	
			*****	C901	1-165-319-11	CERAMIC CHIP	0.1uF 50V
		1-677-779-11 HP BOARD	*****	C902	1-124-589-11	ELECT	47uF 20% 16V
			< CAPACITOR >	C903	1-124-589-11	ELECT	47uF 20% 16V
C990	1-162-290-31	CERAMIC	470PF 10% 50V	C904	1-165-319-11	CERAMIC CHIP	0.1uF 50V
C992	1-162-290-31	CERAMIC	470PF 10% 50V	C905	1-165-319-11	CERAMIC CHIP	0.1uF 50V
C993	1-164-159-11	CERAMIC	0.1uF 50V	C906	1-165-319-11	CERAMIC CHIP	0.1uF 50V
			< CONNECTOR >	C907	1-165-319-11	CERAMIC CHIP	0.1uF 50V
				C908	1-165-319-11	CERAMIC CHIP	0.1uF 50V
* CN990	1-568-941-11	PIN, CONNECTOR 3P		C912	1-163-133-00	CERAMIC CHIP	470PF 5% 50V
			< CONNECTOR >				
J990	1-770-306-21	JACK (LARGE TYPE) (PHONES)		CN901	1-779-277-11	CONNECTOR, FFC (LIF (NON-ZIF))9P	
			< DIODE >				
L990	1-410-397-21	FERRITE BEAD INDUCTOR		D901	8-719-301-39	LED SEL2210S-D-TP (STANDBY)	
L991	1-410-397-21	FERRITE BEAD INDUCTOR		D902	8-719-057-29	LED SML78423C-TP15 (DISC1)	
L992	1-410-397-21	FERRITE BEAD INDUCTOR		D903	8-719-057-29	LED SML78423C-TP15 (DISC2)	
			< RESISTOR >	D904	8-719-057-29	LED SML78423C-TP15 (DISC3)	
R942	1-249-393-11	CARBON	10 5% 1/4W	D905	8-719-057-29	LED SML78423C-TP15 (DISC4)	
R943	1-249-393-11	CARBON	10 5% 1/4W	D906	8-719-057-29	LED SML78423C-TP15 (DISC5)	
			< VARIABLE RESISTOR >	D907	8-719-046-44	LED SEL5221S-TP15 (CD SYNCRO, NORMAL)	
				D908	8-719-046-44	LED SEL5221S-TP15 (CD SYNCRO, HIGH)	
			< IC >				
RV900	1-225-741-11	RES, VAR, CARBON 20K/20K (PHONE LEVEL)		IC901	8-759-339-53	IC GP1U28XB (R)	
			*****	IC902	8-759-366-45	IC NJU3713G (TE2)	
*	1-671-505-12	IN SW BOARD	*****				
			< CONNECTOR >	L901	1-216-296-00	SHORT	0
				L902	1-216-296-00	SHORT	0
				L903	1-216-296-00	SHORT	0
* CN710	1-568-941-11	PIN, CONNECTOR 3P					
			< SWITCH >				
S703	1-771-218-11	SWITCH, MICRO (MID IN)		Q901	8-729-424-18	TRANSISTOR	UN2113-TX
S704	1-771-218-11	SWITCH, MICRO (IN)					

*	1-671-502-12	INIT/COUNT SW BOARD	*****				
			< SWITCH >	R900	1-216-295-11	SHORT	0
				R901	1-216-025-11	RES-CHIP	100 5% 1/10W
				R902	1-216-017-00	RES-CHIP	47 5% 1/10W
				R903	1-216-025-11	RES-CHIP	100 5% 1/10W
				R904	1-216-025-11	RES-CHIP	100 5% 1/10W
S705	1-771-264-11	SWITCH, PUSH (DETECTION) (1 KEY) (INIT)		R905	1-216-025-11	RES-CHIP	100 5% 1/10W
S706	1-771-264-11	SWITCH, PUSH (DETECTION) (1 KEY)	(COUNT)	R906	1-216-041-00	METAL CHIP	470 5% 1/10W
				R907	1-216-033-00	METAL CHIP	220 5% 1/10W
				R908	1-216-033-00	METAL CHIP	220 5% 1/10W
				R909	1-216-033-00	METAL CHIP	220 5% 1/10W
				R910	1-216-033-00	METAL CHIP	220 5% 1/10W
				R911	1-216-033-00	METAL CHIP	220 5% 1/10W
				R912	1-216-033-00	METAL CHIP	220 5% 1/10W

